



क्र.सं.	निर्माण सामग्रीको नाम	इकाई	म्याट बाईकको स्वीकृत दायरे (रुपैयाँमा)				
			सा.स.००१/०८०	सा.स.००२/०८१	सा.स.००३/०८२	सा.स.००४/०८३	सा.स.००५/०८४
	900 mm dia	मिटर	४९,२०४.००	४९,२०४.००	४९,२०४.००	४९,२०४.००	४९,२०४.००
	1000 mm dia	मिटर	४९,७१२.००	४९,७१२.००	४९,७१२.००	४९,७१२.००	४९,७१२.००
	1100 mm dia	मिटर	५७,२२९.००	५७,२२९.००	५७,२२९.००	५७,२२९.००	५७,२२९.००
	1200 mm dia	मिटर	७८,९२९.००	७८,९२९.००	७८,९२९.००	७८,९२९.००	७८,९२९.००
	1300 mm dia	मिटर	९६,९९०.००	९६,९९०.००	९६,९९०.००	९६,९९०.००	९६,९९०.००
	1400 mm dia	मिटर	१०४,२४३.००	१०४,२४३.००	१०४,२४३.००	१०४,२४३.००	१०४,२४३.००
	1500 mm dia	मिटर	११८,४७३.००	११८,४७३.००	११८,४७३.००	११८,४७३.००	११८,४७३.००
	1600 mm dia	मिटर	१२८,४९४.००	१२८,४९४.००	१२८,४९४.००	१२८,४९४.००	१२८,४९४.००
	1700 mm dia	मिटर	१४४,९४३.००	१४४,९४३.००	१४४,९४३.००	१४४,९४३.००	१४४,९४३.००
	1800 mm dia	मिटर	१६९,९४२.००	१६९,९४२.००	१६९,९४२.००	१६९,९४२.००	१६९,९४२.००
	1900 mm dia	मिटर	१७७,४२९.००	१७७,४२९.००	१७७,४२९.००	१७७,४२९.००	१७७,४२९.००
	2000 mm dia	मिटर	१९३,९९०.००	१९३,९९०.००	१९३,९९०.००	१९३,९९०.००	१९३,९९०.००
	2100 mm dia	मिटर	२१६,२७४.००	२१६,२७४.००	२१६,२७४.००	२१६,२७४.००	२१६,२७४.००
	2200 mm dia	मिटर	२३८,६४०.००	२३८,६४०.००	२३८,६४०.००	२३८,६४०.००	२३८,६४०.००
	2300 mm dia	मिटर	२६१,१०४.००	२६१,१०४.००	२६१,१०४.००	२६१,१०४.००	२६१,१०४.००
	2400 mm dia	मिटर	२८३,४६८.००	२८३,४६८.००	२८३,४६८.००	२८३,४६८.००	२८३,४६८.००
H) PN-9, SN-5000 (248 kpa)							
	300 mm dia	मिटर	८,८९२.००	८,८९२.००	८,८९२.००	८,८९२.००	८,८९२.००
	350 mm dia	मिटर	१०,२४२.००	१०,२४२.००	१०,२४२.००	१०,२४२.००	१०,२४२.००
	400 mm dia	मिटर	१३,८९९.००	१३,८९९.००	१३,८९९.००	१३,८९९.००	१३,८९९.००
	450 mm dia	मिटर	१६,३७७.००	१६,३७७.००	१६,३७७.००	१६,३७७.००	१६,३७७.००
	500 mm dia	मिटर	२०,११०.००	२०,११०.००	२०,११०.००	२०,११०.००	२०,११०.००
	600 mm dia	मिटर	२३,७६८.००	२३,७६८.००	२३,७६८.००	२३,७६८.००	२३,७६८.००
	700 mm dia	मिटर	३४,४८२.००	३४,४८२.००	३४,४८२.००	३४,४८२.००	३४,४८२.००
	800 mm dia	मिटर	४३,०८३.००	४३,०८३.००	४३,०८३.००	४३,०८३.००	४३,०८३.००
	900 mm dia	मिटर	४८,०६९.००	४८,०६९.००	४८,०६९.००	४८,०६९.००	४८,०६९.००
	1000 mm dia	मिटर	५७,९८४.००	५७,९८४.००	५७,९८४.००	५७,९८४.००	५७,९८४.००
	1100 mm dia	मिटर	७८,४०३.००	७८,४०३.००	७८,४०३.००	७८,४०३.००	७८,४०३.००
	1200 mm dia	मिटर	९२,०८९.००	९२,०८९.००	९२,०८९.००	९२,०८९.००	९२,०८९.००
	1300 mm dia	मिटर	११३,०३६.००	११३,०३६.००	११३,०३६.००	११३,०३६.००	११३,०३६.००
	1400 mm dia	मिटर	१२९,४८८.००	१२९,४८८.००	१२९,४८८.००	१२९,४८८.००	१२९,४८८.००
	1500 mm dia	मिटर	१३८,१९९.००	१३८,१९९.००	१३८,१९९.००	१३८,१९९.००	१३८,१९९.००
	1600 mm dia	मिटर	१४९,९४४.००	१४९,९४४.००	१४९,९४४.००	१४९,९४४.००	१४९,९४४.००
	1700 mm dia	मिटर	१६९,०६२.००	१६९,०६२.००	१६९,०६२.००	१६९,०६२.००	१६९,०६२.००
	1800 mm dia	मिटर	१८७,९६३.००	१८७,९६३.००	१८७,९६३.००	१८७,९६३.००	१८७,९६३.००
	1900 mm dia	मिटर	२०७,०७२.००	२०७,०७२.००	२०७,०७२.००	२०७,०७२.००	२०७,०७२.००
	2000 mm dia	मिटर	२२६,१७३.००	२२६,१७३.००	२२६,१७३.००	२२६,१७३.००	२२६,१७३.००
	2100 mm dia	मिटर	२४२,२६३.००	२४२,२६३.००	२४२,२६३.००	२४२,२६३.००	२४२,२६३.००
	2200 mm dia	मिटर	२७८,३४०.००	२७८,३४०.००	२७८,३४०.००	२७८,३४०.००	२७८,३४०.००
	2300 mm dia	मिटर	३०४,४४२.००	३०४,४४२.००	३०४,४४२.००	३०४,४४२.००	३०४,४४२.००
	2400 mm dia	मिटर	३३०,७४४.००	३३०,७४४.००	३३०,७४४.००	३३०,७४४.००	३३०,७४४.००
I) PN-12, SN-5000 (248 kpa)							


दिनांक ०५/०५/२०७३
 प्रमुख जिला अधिकारी

क्र. नं.	निर्माण सामग्रीचे नाव	प्रति इकाई	म्याट बरेलकी स्वीकृत दररेट (रुपैयात)				
			म.र. ०१९/०८०	म.र. ०८०/०८१	म.र. ०८१/०८२	म.र. ०८२/०८३	म.र. ०८३/०८४
	300 mm dia	मिटर	१,६९२.००	१,६९२.००	१,६९२.००	१,६९२.००	१,६९२.००
	350 mm dia	मिटर	११,१६४.००	११,१६४.००	११,१६४.००	११,१६४.००	११,१६४.००
	400 mm dia	मिटर	१३,०३९.००	१३,०३९.००	१३,०३९.००	१३,०३९.००	१३,०३९.००
	450 mm dia	मिटर	१७,८३९.००	१७,८३९.००	१७,८३९.००	१७,८३९.००	१७,८३९.००
	500 mm dia	मिटर	२१,९२०.००	२१,९२०.००	२१,९२०.००	२१,९२०.००	२१,९२०.००
	600 mm dia	मिटर	२३,९०३.००	२३,९०३.००	२३,९०३.००	२३,९०३.००	२३,९०३.००
	700 mm dia	मिटर	३७,६९६.००	३७,६९६.००	३७,६९६.००	३७,६९६.००	३७,६९६.००
	800 mm dia	मिटर	४९,१४६.००	४९,१४६.००	४९,१४६.००	४९,१४६.००	४९,१४६.००
	900 mm dia	मिटर	४९,३६९.००	४९,३६९.००	४९,३६९.००	४९,३६९.००	४९,३६९.००
	1000 mm dia	मिटर	६३,२०३.००	६३,२०३.००	६३,२०३.००	६३,२०३.००	६३,२०३.००
	1100 mm dia	मिटर	८४,४६४.००	८४,४६४.००	८४,४६४.००	८४,४६४.००	८४,४६४.००
	1200 mm dia	मिटर	१००,३७३.००	१००,३७३.००	१००,३७३.००	१००,३७३.००	१००,३७३.००
	1300 mm dia	मिटर	१२३,२०९.००	१२३,२०९.००	१२३,२०९.००	१२३,२०९.००	१२३,२०९.००
	1400 mm dia	मिटर	१३२,४३९.००	१३२,४३९.००	१३२,४३९.००	१३२,४३९.००	१३२,४३९.००
	1500 mm dia	मिटर	१४०,६२८.००	१४०,६२८.००	१४०,६२८.००	१४०,६२८.००	१४०,६२८.००
	1600 mm dia	मिटर	१६३,४४४.००	१६३,४४४.००	१६३,४४४.००	१६३,४४४.००	१६३,४४४.००
	1700 mm dia	मिटर	१८४,२७७.००	१८४,२७७.००	१८४,२७७.००	१८४,२७७.००	१८४,२७७.००
	1800 mm dia	मिटर	२०४,८८३.००	२०४,८८३.००	२०४,८८३.००	२०४,८८३.००	२०४,८८३.००
	1900 mm dia	मिटर	२२४,७०८.००	२२४,७०८.००	२२४,७०८.००	२२४,७०८.००	२२४,७०८.००
	2000 mm dia	मिटर	२४६,४३३.००	२४६,४३३.००	२४६,४३३.००	२४६,४३३.००	२४६,४३३.००
	2100 mm dia	मिटर	२७४,९६७.००	२७४,९६७.००	२७४,९६७.००	२७४,९६७.००	२७४,९६७.००
	2200 mm dia	मिटर	३०३,४०१.००	३०३,४०१.००	३०३,४०१.००	३०३,४०१.००	३०३,४०१.००
	2300 mm dia	मिटर	३२९,९६१.००	३२९,९६१.००	३२९,९६१.००	३२९,९६१.००	३२९,९६१.००
	2400 mm dia	मिटर	३६०,४२२.००	३६०,४२२.००	३६०,४२२.००	३६०,४२२.००	३६०,४२२.००
J)	PN-15, SN-5000 (248 kpa)						
	300 mm dia	मिटर	१०,६६९.००	१०,६६९.००	१०,६६९.००	१०,६६९.००	१०,६६९.००
	350 mm dia	मिटर	१२,२८९.००	१२,२८९.००	१२,२८९.००	१२,२८९.००	१२,२८९.००
	400 mm dia	मिटर	१६,४६२.००	१६,४६२.००	१६,४६२.००	१६,४६२.००	१६,४६२.००
	450 mm dia	मिटर	१९,६३६.००	१९,६३६.००	१९,६३६.००	१९,६३६.००	१९,६३६.००
	500 mm dia	मिटर	२४,९९२.००	२४,९९२.००	२४,९९२.००	२४,९९२.००	२४,९९२.००
	600 mm dia	मिटर	२८,४९८.००	२८,४९८.००	२८,४९८.००	२८,४९८.००	२८,४९८.००
	700 mm dia	मिटर	४१,४६४.००	४१,४६४.००	४१,४६४.००	४१,४६४.००	४१,४६४.००
	800 mm dia	मिटर	४४,०६०.००	४४,०६०.००	४४,०६०.००	४४,०६०.००	४४,०६०.००
	900 mm dia	मिटर	४७,६९६.००	४७,६९६.००	४७,६९६.००	४७,६९६.००	४७,६९६.००
	1000 mm dia	मिटर	६९,४२३.००	६९,४२३.००	६९,४२३.००	६९,४२३.००	६९,४२३.००
	1100 mm dia	मिटर	९४,०९०.००	९४,०९०.००	९४,०९०.००	९४,०९०.००	९४,०९०.००
	1200 mm dia	मिटर	११०,४९४.००	११०,४९४.००	११०,४९४.००	११०,४९४.००	११०,४९४.००
	1300 mm dia	मिटर	१३४,४३०.००	१३४,४३०.००	१३४,४३०.००	१३४,४३०.००	१३४,४३०.००
	1400 mm dia	मिटर	१४४,७८४.००	१४४,७८४.००	१४४,७८४.००	१४४,७८४.००	१४४,७८४.००
	1500 mm dia	मिटर	१६४,९९९.००	१६४,९९९.००	१६४,९९९.००	१६४,९९९.००	१६४,९९९.००
	1600 mm dia	मिटर	१७९,७९९.००	१७९,७९९.००	१७९,७९९.००	१७९,७९९.००	१७९,७९९.००
	1700 mm dia	मिटर	२०२,७०४.००	२०२,७०४.००	२०२,७०४.००	२०२,७०४.००	२०२,७०४.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp of the District Administration Office, Vangia.



3. कंक्रीट एडमिक्स्चर तथा वाटर प्रूफिंगको काम

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	म्यार बाईकको स्वीकृत दररेड (रुपैयामा)				
			सा.स.००१/०००	सा.स.००२/००१	सा.स.००३/००२	सा.स.००४/००३	सा.स.००५/००४
क	मन पोलिमरबेस कंक्रीट एडमिक्स्चर						
१	वाटर बुमिड, कम्पाउण्ड कम्पोजिट वाटर	के.मि.	६२.००	६२.००	६२.००	६२.००	६२.००
२	सिमेन्ट रिमेड एडमिक्स्चर	के.मि.	३२०.००	३२०.००	३२०.००	३२०.००	३२०.००
३	गुन्ट टरमाईट	मिटर	३३०.००	३३०.००	३३०.००	३३०.००	३३०.००
४	वाटरमाईना	मिटर	३३५.००	३३५.००	३३५.००	३३५.००	३३५.००
५	वाटरप्रूफ कम्पाउण्ड	मिटर	२६३.००	२६३.००	२६३.००	२६३.००	२६३.००
६	सिमेन्ट रेडिड कम्पाउण्ड	मिटर	३६०.००	३६०.००	३६०.००	३६०.००	३६०.००
ख	प्लिस्टरबेस कंक्रीट एडमिक्स्चर						
१	Organic based polymer in liquid form which acts as a plasticizer cum accelerator for concrete/mortar. Higher strength is achieved in a shorter time. It conform BS: 9103:1979 and ASTM C-194. Excellent in winter or cold climate.	मिटर	२९६.००	२९६.००	२९६.००	२९६.००	२९६.००
२	PLASTMASTER It is an additive for plaster of wall. Gives excellent workability and smooth finish. Check seepage of water/moisture.	मिटर	४४३.००	४४३.००	४४३.००	४४३.००	४४३.००
३	Super plasticizer for concrete high range water reducing admixture for concrete based on sulfonated naphthalene formaldehyde and is used for reducing the water to cement ratio, increasing compressive strength & producing free flowing concrete.	मिटर	२९४.००	२९४.००	२९४.००	२९४.००	२९४.००
४	RETARDOPLAST Modified sulfonated naphthalene formaldehyde plasticizer-cum-retarder for concrete. It is a dark brown liquid. Water reducing up to 25% can be achieved.	मिटर	२९४.००	२९४.००	२९४.००	२९४.००	२९४.००
५	Water based emulsion to be applied by brush or spray on fresh concrete surface to retain water in concrete. Suitable for use where curing by water is not possible, or in hot climate.	मिटर	२०९.००	२०९.००	२०९.००	२०९.००	२०९.००
६	An air entraining concrete admixture used for increasing crack resistance, frost resistance etc.	मिटर	४७२.००	४७२.००	४७२.००	४७२.००	४७२.००
७	TILEBOND LIQUID Single component compound for fixing tiles, marbles, granite etc. on any plain surface (walls as well as floor). Highly economical and easy to use. A very thin coating is required.	मिटर	४४२.००	४४२.००	४४२.००	४४२.००	४४२.००
८	TILE MASTER Liquid additive and bonding agent for water resistant cement mortar. It is specially formulated liquid polymer additive for use with cement and sand for form mortars having high bond strength and water proofing properties for the laying of ceramic, mosaic or glazed tiles on the floors and wall. It improves adhesion chemical resistance flexibility, resistant to impact and thermal shock.	मिटर	४४२.००	४४२.००	४४२.००	४४२.००	४४२.००
९	CONCRETE COAT Protective Coating for reinforced concrete. It is protective coating, which is extremely useful in increasing the life of reinforced concrete structures. It protects the RCC from CO ₂ , oxygen, water and other damaging elements in the air.	मिटर	४७२.००	४७२.००	४७२.००	४७२.००	४७२.००
१०	POLY - SULPHIDE SEALANT Two packed poly sulphide base sealant with available grades. It provides strong and highly elastic sealant through gross fitting process. Joint Set (JS) gun applied for non - sag type for vertical and inclined expansion contraction joints and (P) pouring type for horizontal joints. BS 4254:1983	मिमी हाथ	१,७६६.००	१,७६६.००	१,७६६.००	१,७६६.००	१,७६६.००
११	JOINT SET PRIMER For surface namely concrete, brick work, cement, gypsum board, natural and artificial stone, glass ceramics, anodized aluminium, timber and rigid PVC etc.	मिटर	१,२९९.००	१,२९९.००	१,२९९.००	१,२९९.००	१,२९९.००
१२	Waterproofing treatment						
	i) Wall guard (interior wall coating)	वर्ग मिटर	३९.००	३९.००	३९.००	३९.००	३९.००
	ii) Seal on roof, water proof coating work	वर्ग मिटर	४३.००	४३.००	४३.००	४३.००	४३.००
	iii) Seal, long life exterior coating on plastered surface	वर्ग मिटर	३३.००	३३.००	३३.००	३३.००	३३.००
	iv) Water repellent on exposed bricks and stones	वर्ग मिटर	२३.००	२३.००	२३.००	२३.००	२३.००
१	ग्रीप र पन्नाद रन, सिल्लार र ग्रेडवेन्ट वा पानी पुर्नेको स्थानमा मलसामान उपलब्ध गरि waterproofing गर्ने काम						
१	Waterproofing treatment by injection and pressure Grouting system using perma Gout 500 with mixing fresh gray cement all complete. (sloped roof, sunk slab, basement)	वर्ग मिटर	४३.००	४३.००	४३.००	४३.००	४३.००
२	Waterproofing treatment by Perma Guard coating (Elastomeric coating) all complete. (roofing, sunk slab)	वर्ग मिटर	६०.००	६०.००	६०.००	६०.००	६०.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp of the District Engineer, Prayag District, and a signature of the District Engineer.



क्र.सं.	विवरण सामग्री का नाम	प्रति इकाई	प्रकार काटने की स्वीकृत दर (रुपये/मीटर)				
			आ. २०२१/२०२२	आ. २०२०/२०२१	आ. २०१९/२०२०	आ. २०१८/२०१९	आ. २०१७/२०१८
१	Waterproofing treatment by using perma shield / Air coating (Semi flexible coating) all Complete (roof top, sunk slab, basement)	वर्ग फिट	४४.००	४४.००	४४.००	४४.००	४४.००
२	Waterproofing treatment by Crystallization Process by applying two coats of perma Seal all complete, (water tank basement)	वर्ग फिट	६०.००	६०.००	६०.००	६०.००	६०.००
३	Minor crack treatment on RCC slab by SBR mortar (sunk slab)	वर्ग फिट	२४२.००	२४२.००	२४२.००	२४२.००	२४२.००
४	Major crack treatment on RCC slab by polysel	वर्ग फिट	४०३.००	४०३.००	४०३.००	४०३.००	४०३.००
५	Water Repellent work by perma treat (Expose brick)	वर्ग फिट	२३.००	२३.००	२३.००	२३.००	२३.००
६	Expansion Joint works by using perma polysel with filling 18 gauge GI sheets all complete	वर्ग फिट	२,०४८.००	२,०४८.००	२,०४८.००	२,०४८.००	२,०४८.००
७	Perma Clear seal coating	वर्ग फिट	३८.००	३८.००	३८.००	३८.००	३८.००
८	Supplying and applying perma or Beck Brand Self leveling Epoxy coating on floor 2mm thick as per specification all complete, (for pharmaceutical and hospitals floor)	वर्ग फिट	४२४.००	४२४.००	४२४.००	४२४.००	४२४.००
९	Functional and High build epoxy coating on floor 400 micron (for pharmaceutical and hospitals floor)	वर्ग फिट	१८९.००	१८९.००	१८९.००	१८९.००	१८९.००
१०	Decorative epoxy coating with perma plaster putty on ceiling and wall all complete 200 micron, (for pharmaceutical and hospitals floor)	वर्ग फिट	१६३.००	१६३.००	१६३.००	१६३.००	१६३.००
११	Epoxy coving (for pharmaceutical and hospitals floor)						
	a) Floor to wall (for pharmaceutical and hospitals floor)	वर्ग फिट	१९७.००	१९७.००	१९७.००	१९७.००	१९७.००
	b) Ceiling to wall (for pharmaceutical and hospitals floor)	वर्ग फिट	१७२.००	१७२.००	१७२.००	१७२.००	१७२.००
	c) Wall to wall (for pharmaceutical and hospitals floor)	वर्ग फिट	१४४.००	१४४.००	१४४.००	१४४.००	१४४.००
१२	MCC PC 2550 Superplasticizer Concrete Admixture	प्रति के.जी.					१८०.००
१३	MCC PC 4050 Superplasticizer Concrete Admixture	प्रति के.जी.					२४०.००
१४	Microsilica (Silica Fume)	प्रति के.जी.					३९.००
१५	Tile Adhesive	प्रति के.जी.					४०.००
१६	Safe Techno Tropical (India)						
१	सेक फिट						
	२०० मि.मि.		६३.००	६३.००	६३.००	६३.००	६३.००
	१००० मि.मि.		२६९.००	२६९.००	२६९.००	२६९.००	२६९.००
	२००० मि.मि.		१,०७६.००	१,०७६.००	१,०७६.००	१,०७६.००	१,०७६.००
	१०००० मि.मि.		२,९९४.००	२,९९४.००	२,९९४.००	२,९९४.००	२,९९४.००
	२०००० मि.मि.		४,२९२.००	४,२९२.००	४,२९२.००	४,२९२.००	४,२९२.००
२	सेक ग्राउंड फिट						
	२०० मि.मि.		६८.००	६८.००	६८.००	६८.००	६८.००
	१००० मि.मि.		२९९.००	२९९.००	२९९.००	२९९.००	२९९.००
	२००० मि.मि.		१,१६४.००	१,१६४.००	१,१६४.००	१,१६४.००	१,१६४.००
	२०००० मि.मि.		४,४८९.००	४,४८९.००	४,४८९.००	४,४८९.००	४,४८९.००
३	सेक एप्ली						
	२०० मि.मि.		६३.००	६३.००	६३.००	६३.००	६३.००
	१००० मि.मि.		२९९.००	२९९.००	२९९.००	२९९.००	२९९.००
	२००० मि.मि.		१,२९९.००	१,२९९.००	१,२९९.००	१,२९९.००	१,२९९.००
४	सेक ब्रिड						
	२०० मि.मि.		६९.००	६९.००	६९.००	६९.००	६९.००
	१००० मि.मि.		२८७.००	२८७.००	२८७.००	२८७.००	२८७.००
	२००० मि.मि.		१,१२९.००	१,१२९.००	१,१२९.००	१,१२९.००	१,१२९.००
५	सेक बॉट						
	२०० मि.मि.		९९४.००	९९४.००	९९४.००	९९४.००	९९४.००
६	सेक ग्राउंड (एप्लीकेशन)						
	२०० मि.मि.		४९.००	४९.००	४९.००	४९.००	४९.००
	१००० मि.मि.		२४७.००	२४७.००	२४७.००	२४७.००	२४७.००
	२००० मि.मि.		१,०२४.००	१,०२४.००	१,०२४.००	१,०२४.००	१,०२४.००
	१०००० मि.मि.		१,९७८.००	१,९७८.००	१,९७८.००	१,९७८.००	१,९७८.००
	२०००० मि.मि.		३,९३४.००	३,९३४.००	३,९३४.००	३,९३४.००	३,९३४.००
७	सेक ग्राउंड (Fast & Strong working)						
	२०० मि.मि.		६८.००	६८.००	६८.००	६८.००	६८.००
	१००० मि.मि.		२९९.००	२९९.००	२९९.००	२९९.००	२९९.००

Handwritten signatures and stamps at the bottom of the page, including a large circular stamp with text in Hindi and English, and several handwritten signatures.



क्र.सं.	निर्माण सामग्रीको नाम	इकाई	म्याट बाईकले स्वीकृत दररेट (रुपैयाँ)				
			म.स.२०७१/०८०	म.स.२०७२/०८१	म.स.२०८१/०८२	म.स.२०८२/०८३	म.स.२०८३/०८४
	१००० मि.मि.		१,१८५.००	१,१८५.००	१,१८५.००	१,१८५.००	१,१८५.००
	१०००० मि.मि.		४,३८३.००	४,३८३.००	४,३८३.००	४,३८३.००	४,३८३.००
	१०००० मि.मि.		१,३८६.००	१,३८६.००	१,३८६.००	१,३८६.००	१,३८६.००
c	Providing and laying aluminium sheet (18 gauge) fix at one side and sliding at other side filling by thermocool and sealing with polysulfide as per drawing.	RFT	२,१९४.००	२,१९४.००	२,१९४.००	२,१९४.००	२,१९४.००
Specification of Silica Cement Admixture							
	Product		Silica Cement Admixture				
	Material		Natural volcanic Ash				
	Chief Ingredient		SiO ₂ above 85%				
	Characteristics of the Material		Amorphous (Shapeless)				
	Particle Size		0.4 cm				
	Specific Surface area by Blaine		80,000 cm ² /gm				
	Color		White				
	Combination of all in one		Water proofing, strength enhancement, plasticizer				
	Minimum amount		5% by weight of cement				
9	Surface Treatment						
9.1	Protective, Decorative anti carbonation coating.	Kg	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००
9.2	Protective, Decorative Insulating anti carbonation coating.	Kg	१,४८५.००	१,४८५.००	१,४८५.००	१,४८५.००	१,४८५.००
9.3	Concrete Penetrating corrosion inhibitor	Kg	४,९३०.००	४,९३०.००	४,९३०.००	४,९३०.००	४,९३०.००
9.4	Protective Acrylic Sealer	Kg	१,९४०.००	१,९४०.००	१,९४०.००	१,९४०.००	१,९४०.००
9.5	Protective polyurethane Sealer	Kg	१,९८०.००	१,९८०.००	१,९८०.००	१,९८०.००	१,९८०.००
9.6	Water based Fire Retardant Coating.	Kg	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००
9.7	High Performance water Repellent Paint	Ltr.	१,९००.००	१,९००.००	१,९००.००	१,९००.००	१,९००.००
9.8	Concentrated & Emulsified Chemical Mould Release Agent.	Ltr.	३४०.००	३४०.००	३४०.००	३४०.००	३४०.००
9.9	Ready to use Chemical Mould Release Agent.	Ltr.	४४०.००	४४०.००	४४०.००	४४०.००	४४०.००
9.10	Concrete Curing Aid.	Kg	४४०.००	४४०.००	४४०.००	४४०.००	४४०.००
9.11	Resin Silica based multi function, water proofing and Curing Compound dose : Cover Area 0.15 Kg/m ²	Kg	७००.००	७००.००	७००.००	७००.००	७००.००
9.12	Instant road repair premix (1bag=25kg)	Bag	१,०३५.००	१,०३५.००	१,०३५.००	१,०३५.००	१,०३५.००
10	Concrete Repairs.						
10.1	Rust Remover & Passivator.	Ltr.	१,१००.००	१,१००.००	१,१००.००	१,१००.००	१,१००.००
10.2	Corrosion Inhibitor	Kg	१,१००.००	१,१००.००	१,१००.००	१,१००.००	१,१००.००
10.3	Micro Concrete (M55) for Permanent Repairs.	Kg	१४४.००	१४४.००	१४४.००	१४४.००	१४४.००
10.4	Single Component Polymer Modified Cementitious Repair Mortar.	Kg	१९२.४०	१९२.४०	१९२.४०	१९२.४०	१९२.४०
10.5	Two Components Polymer Modified Cementitious Repair Mortar.	Kg	२७४.००	२७४.००	२७४.००	२७४.००	२७४.००
10.6	Cementitious Water Proof Crack Repair Mortar	Kg	२२०.००	२२०.००	२२०.००	२२०.००	२२०.००
10.7	Acrylic Based Crack filling Putty	Kg	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००	१,३२०.००
10.8	Resin, Polycarbonate Base for Ultra High Strength Concrete Repairing Dose: Admixture 10% by weight of Cement	Kg	७००.००	७००.००	७००.००	७००.००	७००.००
11	Prepacked Mortar						
11.1	Tile Marble Granite etc, Adhesive	Kg	८२.४०	८२.४०	८२.४०	८२.४०	८२.४०
11.2	Marble Granite etc, Adhesive	Kg	३८४.००	३८४.००	३८४.००	३८४.००	३८४.००
11.3	Coarse & Water resistant Readymix Plastering Mortar	Kg	९०.००	९०.००	९०.००	९०.००	९०.००
11.4	High Performance Polymer Based Wall Putty (Skim Coat)	Kg	७०.००	७०.००	७०.००	७०.००	७०.००
11.5	High Performance Polymer Based Insulating Wall Putty (Skim Coat)	Kg	९०.००	९०.००	९०.००	९०.००	९०.००

Handwritten signatures and stamps at the bottom of the page, including a large signature and a circular official stamp.

Official stamp and signature of the District Engineer, Pulp and Paper, with text in Nepali: 'जिल्ला प्रमुख पल्प तथा कागज', 'प्रमुख जिल्ला अधिकारी'.



वि.नं.	निर्माण सामग्रीको नाम	इति प्रकार	म्युट बाइको स्टील दर्रेट (लैकना)				
			आ.र.००१/०००	आ.र.००२/००१	आ.र.००३/००२	आ.र.००४/००३	आ.र.००५/००४
१	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net section size 101*45*1.2 mm including 5mm clear glass all complete	बग फिट	१३०.००	१८१.००	३३०.००	३५०.००	३३०.००
२	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 101x45x1.2 mm including 5 mm every colour reflective glass all complete	बग फिट	१६०.००	२११.००	३६१.००	३८१.००	३६१.००
३	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net section size 101*45*1.2 mm including 5mm clear glass all complete	बग फिट	१००.००	१३८.००	१८०.००	१८०.००	१८०.००
४	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 101x45x1.2 mm including 5 mm every colour reflective glass all complete	बग फिट	११०.००	१६१.००	२११.००	२३१.००	२३१.००
५	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net section size 101*45*1.1 mm including 5mm clear glass all complete	बग फिट	११०.००	१६१.००	२११.००	२३१.००	२३०.००
६	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 101x45x1.1 mm including 5 mm every colour reflective glass all complete	बग फिट	१८०.००	२३१.००	३६०.००	३८०.००	३६०.००
७	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net section size 90*38*1.2 mm including 5mm clear glass all complete	बग फिट	१८०.००	२३०.००	३६०.००	३८०.००	३६०.००
८	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 90*38*1.2 mm including 5 mm every colour reflective glass all complete	बग फिट	११०.००	१६१.००	२१०.००	२३०.००	२३०.००
९	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net section size 80*38*1.1 mm including 5mm clear glass all complete	बग फिट	१८०.००	२३०.००	३६०.००	३८०.००	३६०.००
१०	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 90*38*1.1 mm including 5 mm every colour reflective glass all complete	बग फिट	११०.००	१६१.००	२१०.००	२३०.००	२३०.००
११	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 78x45x1.2 mm including 5mm clear glass all complete	बग फिट	११०.००	१८०.००	२१०.००	२३०.००	२३०.००
१२	Sliding window and sliding window with ventilation) Supply and fixing of aluminum sliding window with net and section size 78x45*1.2 mm including 5 mm every colour reflective glass all complete	बग फिट	१२०.००	१८०.००	२६०.००	२६०.००	२६०.००
१३	Main Entrance 12 mm thick clear glass door) Supply and fixing of aluminum Door section size 65*38*1.20 mm all complete works	बग फिट	८१०.००	८००.००	८८०.००	८६०.००	९६०.००
१४	(Aluminium swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.3mm all complete works	बग फिट	११०.००	१३८.००	२३०.००	२३०.००	२३०.००
१५	(Aluminium swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.2mm all complete works	बग फिट	११०.००	१६१.००	२३१.००	२३१.००	२३१.००
१६	(Aluminium swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.1mm all complete works	बग फिट	१८०.००	२३१.००	३६०.००	३८०.००	३६०.००
१७	(Aluminium swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 90*38*1.2 mm all complete works	बग फिट	११०.००	१८०.००	२६१.००	२६१.००	२६१.००
१८	(Aluminium swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 90*38*1.1 mm all complete works	बग फिट	१३०.००	२०१.००	३३०.००	३३०.००	३३०.००
१९	(Aluminium swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.5mm all complete works	बग फिट	११०.००	१६१.००	२३०.००	२३०.००	२३०.००
२०	(Aluminium swing door and hings door with aluminum composite panel) Supply and fixing of aluminum door without ventilation and with ventilation section size 65*38*1.2 mm all complete works	बग फिट	११०.००	१६१.००	२३०.००	२३०.००	२३०.००
२१	(Aluminium swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.3mm including 9 mm nepal board or 5 mm clear glass all complete works	बग फिट	१३०.००	१६१.००	२३०.००	२३०.००	२३०.००
२२	(Aluminium swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.2 mm including 9 mm nepal board or 5 mm clear glass all complete works	बग फिट	११०.००	१६१.००	२३१.००	२३१.००	२३१.००
२३	(Aluminium swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 101*45*1.1 mm including 9 mm nepal board or 5 mm clear glass all complete works	बग फिट	१८०.००	२३१.००	३६०.००	३८०.००	३६०.००
२४	(Aluminium swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 90*38*1.2 mm including 9 mm nepal board or 5 mm clear glass all complete works	बग फिट	११०.००	१६१.००	२३१.००	२३१.००	२३१.००
२५	(Aluminium swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 65*38*1.2mm including 9 mm nepal board or 5 mm clear glass all complete works	बग फिट	१८०.००	२३१.००	३६०.००	३८०.००	३६०.००
२६	(Aluminium swing door and hings door) Supply and fixing of aluminum door without ventilation and with ventilation section size 65*38*1.3mm including 9 mm nepal board or 5 mm reflective glass all complete works	बग फिट	११०.००	१६१.००	२३१.००		

Handwritten signatures and stamps are present at the bottom of the page.



क्र.सं.	विवरण सामग्रीको नाम	इकाई	भ्याट बाईको लोड्स रेट (रुपैयामा)				
			मा.र.००१/००२	मा.र.००२/००३	मा.र.००३/००४	मा.र.००४/००५	मा.र.००५/००६
२८	(Fix partition) Supply and fixing of aluminum fix partition section size 101*40*1.3 mm thickness aluminum frame, with 5 mm clear glass or 9 mm Nepal board with all necessary fittings	वर्ग मिटर	१००.००	११२.००	१११.००	१११.००	१११.००
२९	(Fix partition) Supply and fixing of aluminum fix partition section size 101*40*1.3 mm thickness aluminum frame, with 5 mm reflective glass or 9 mm Nepal board with all necessary fittings	वर्ग मिटर	१२०.००	१०९.००	११०.००	११०.००	१२०.००
३०	(Fix partition) Supply and fixing of aluminum fix partition section size 66*38*1.2 mm thickness aluminum frame, with 5 mm clear glass or 9 mm Nepal board with all necessary fittings	वर्ग मिटर	१२०.००	१११.००	१०९.००	१०९.००	१२०.००
३१	(Fix partition) Supply and fixing of aluminum fix partition section size 66*38*1.2 mm thickness aluminum frame, with 5 mm reflective glass or 9 mm Nepal board with all necessary fittings	वर्ग मिटर	१२०.००	११०.००	१११.००	१११.००	१२०.००
३२	(Fix partition with aluminum composite panel) supply and fixing of aluminum fix partition section size 101*40*1.30 net aluminum frame with 4 mm thick aluminum composite panel with all necessary fittings	वर्ग मिटर	१५०.००	१४१.००	१३०.००	१३०.००	१५०.००
३३	(Fix partition with aluminum composite panel) supply and fixing of aluminum fix partition section size 66*38*1.2 net aluminum frame with 4 mm thick aluminum composite panel with all necessary fittings	वर्ग मिटर	१३०.००	१२०.००	११०.००	११०.००	१३०.००
३४	(Structure glazing) Supply and fixing of structure glazing section size 151*50*1.6 mm thickness aluminum frame with 5 mm reflective glass and all necessary fittings	वर्ग मिटर	०१०.००	८०२.००	८००.००	८००.००	८००.००
३५	(Structure glazing) Supply and fixing of structure glazing section size 55*50*1.6 mm thickness aluminum frame with 5 mm reflective glass and all necessary fittings	वर्ग मिटर	१३०.००	१०३.००	१०२.००	१०२.००	१३०.००
३६	(Railing stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every 3' distance with 39" height and 3/4" dia. Pipe 3 line horizontal pipe and all complete work	र.मिटर	१२१०.००	१,२१०.००	१,२१०.००	१,२१०.००	१,२१०.००
३७	(Railing stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every 3' distance with 39" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.मिटर	१३३०.००	१,३३०.००	१,३३०.००	१,३३०.००	१,३३०.००
३८	(Railing stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.मिटर	१,१००.००	१,१००.००	१,१००.००	१,१००.००	१,१००.००
३९	(Round staircase stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.मिटर	१,१५०.००	१,१५०.००	१,१५०.००	१,१५०.००	१,१५०.००
४०	(Round staircase stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.मिटर	१,४००.००	१,४००.००	१,४००.००	१,४००.००	१,४००.००
४१	(For Tiller counter terminal 14 ft) Supply and fixing of wooden (19 mm, 10mm, and 6 mm plywood) finish with formica including lock handle, granite finished top and accessories with all complete work	र.मिटर	१,८१०.००	१,८१०.००	१,८१०.००	१,८१०.००	१,८१०.००
४२	(For wooden File Rack) Supply and fixing of wooden (19 mm, 10mm, and 6 mm plywood) finish with formica including lock handle, and accessories with all complete work	र.मि.	१,११०.००	१,११०.००	१,११०.००	१,११०.००	१,११०.००
४३	MF Suspended Ceiling with GYP For KCC College/Hall Ceiling Supply fixing, Filing installing GI under frame using Gypsteel branded channel and fixing 9.00-12mm thick gypsum board or boral plaster finishing joint filing with compounds taping all complete.	र.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
४४	MF Suspended Ceiling with GYP For KCC College/Hall Ceiling Supply fixing, Filing installing GI under frame using Gypsteel branded channel and fixing 9.00-12mm thick gypsum board or boral plaster finishing joint filing with compounds taping all complete.	र.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
४५	MF Suspended Ceiling with MPL Board for CGI roofing ceiling Supply fixing, Filing installing GI under frame using Gypsteel branded channel and fixing 9.00-12.5mm thick MPL (mineralized polyester laminated) board or MPL Boral Plaster Board in position GI Underframe using Gypsteel branded channel filing joints with compounds all complete.	र.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
४६	MF Suspended Ceiling with MPL Board for CGI roofing ceiling Supply fixing, Filing installing GI under frame using Gypsteel branded channel and fixing 9.00-12.5mm thick MPL (mineralized polyester laminated) board or MPL Boral Plaster Board in position GI Underframe using Gypsteel branded channel filing joints with compounds all complete for designed ceiling	र.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
४७	Drywall partition with metal stud. Supply fixing filing GI under frame using Gypsteel branded channel fixing 10.5mm thick GYPsunt or boral plaster board with all accessories all complete.	र.मि.	२१०.००	२१०.००	२१०.००	२१०.००	२१०.००
४८	Wall paneling supplying fixing and filing in position GI under frame using gypsteel branded channel fixing 10.5 mm thick gypsum or boral plaster board with all accessories all complete	र.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
४९	Wall paneling supplying fixing and filing in position GI under frame using gypsteel branded channel fixing armstrong mineral fiber board (fine textured ANF) for suspended false ceiling with all accessories all complete	र.मि.	२१०.००	२१०.००	२१०.००	२१०.००	२१०.००
५०	वाइनिंगमा बनेको विभिन्न मोडलबाट चरिने बनेको						
	False ceiling	र.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
	wal partition	र.मि.	१००.००	१००.००	१००.००	१००.००	१००.००
	wal paneling	र.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
५१	Supply and fitting Flat Wall Panel Ivory Color						
	50mm	र.मि.	११२.००	११२.००	११२.००	११२.००	११२.००
	75mm	र.मि.	११०.००	११०.००	११०.००	११०.००	११०.००
	100mm	र.मि.	२१२.००	२१२.००	२१२.००	२१२.००	२१२.००
५२	Supply and fitting R.P. Boldless Wall Panel Grey Color						
	50mm	र.मि.	१००.००	१००.००	१००.००	१००.००	१००.००

Handwritten signatures and notes in Nepali, including a large signature across the bottom and a circular stamp on the right.

विश्व बुनाई बान्नाइ
प्रमुख जिला अधिकारी




क्र.सं.	निर्माण सामग्रीको नाम	इकाई	भ्याट बाईको सीक्ल दर (रुपैया)				
			क्र.सं. १/२०७३	क्र.सं. २/२०७३	क्र.सं. ३/२०७३	क्र.सं. ४/२०७३	क्र.सं. ५/२०७३
	75mm	व.मि.	२२१.००	२२१.००	२२१.००	२२१.००	२२१.००
	100mm	व.मि.	२५४.००	२५४.००	२५४.००	२५४.००	२५४.००
२३	Supply and fitting Roof Panel Orange & Blue Color						
	50mm	व.मि.	२०९.००	२०९.००	२०९.००	२०९.००	२०९.००
	75mm	व.मि.	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
	100mm	व.मि.	२७८.००	२७८.००	२७८.००	२७८.००	२७८.००
२४	Supply and fitting Wood Siding Wall Panel Wood Color						
	75mm	व.मि.	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
	100mm	व.मि.	२८६.००	२८६.००	२८६.००	२८६.००	२८६.००
२५	Supply and fitting Zinc Wall & Roof Panel ZINC Color						
	50mm	व.मि.	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
	75mm	व.मि.	२८६.००	२८६.००	२८६.००	२८६.००	२८६.००
	100mm	व.मि.	३२९.००	३२९.००	३२९.००	३२९.००	३२९.००
२६	Supply and fitting Steel Door, 30 min fire rated						
	900*2100	set	१३,२००.००	१३,२००.००	१३,२००.००	१३,२००.००	१३,२००.००
	1800*2100	set	१४,२००.००	१४,२००.००	१४,२००.००	१४,२००.००	१४,२००.००
२७	Supply and fitting AISI						
	900*2100	set	१२,९००.००	१२,९००.००	१२,९००.००	१२,९००.००	१२,९००.००
२८	Supply and fitting Panel Door						
	900*2100	set	६,४००.००	६,४००.००	६,४००.००	६,४००.००	६,४००.००
२९	Sandwich PUF Panel						
२९.०१	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.मि.	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
२९.०२	50mm thick colored PUF (Poly Urethane Foam) 0.4 mm sheet bothside- Wall Panel with all accessories	व.मि.	२३०.००	२३०.००	२३०.००	२३०.००	२३०.००
२९.०३	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.मि.	२७०.००	२७०.००	२७०.००	२७०.००	२७०.००
२९.०४	75mm thick colored PUF (Poly Urethane Foam) 0.4mm sheet bothside- Wall Panel with all accessories	व.मि.	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
२९.०५	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.मि.	३२९.००	३२९.००	३२९.००	३२९.००	३२९.००
२९.०६	100mm thick colored PUF (Poly Urethane Foam) 0.4mm sheet bothside- Wall Panel with all accessories	व.मि.	३२९.००	३२९.००	३२९.००	३२९.००	३२९.००
२९.०७	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.मि.	४३०.००	४३०.००	४३०.००	४३०.००	४३०.००
२९.०८	150mm thick colored PUF (Poly Urethane Foam) 0.4mm sheet bothside- Wall Panel with all accessories	व.मि.	४३०.००	४३०.००	४३०.००	४३०.००	४३०.००
२९.०९	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet-Roofing Panel with all accessories	व.मि.	२४०.००	२४०.००	२४०.००	२४०.००	२४०.००
२९.१०	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet-Roofing Panel with all accessories	व.मि.	२४०.००	२४०.००	२४०.००	२४०.००	२४०.००
२९.११	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet-Roofing Panel with all accessories	व.मि.	२७०.००	२७०.००	२७०.००	२७०.००	२७०.००
२९.१२	6.4mm thick Ridge Cap	र.मि.	१८०.००	१८०.००	१८०.००	१८०.००	१८०.००
	(Wood Polymer Composite) WPC Single Toilet Hollow Door Board (Size up to 14 sq. ft.) (32 mm)						
२९.१३	Embossing Without Film	व.मि.	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
२९.१४	With Hot-stamping Film	व.मि.	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
२९.१५	With Hot-stamping Film and Grooving	व.मि.	४७०.००	४७०.००	४७०.००	४७०.००	४७०.००
	WPC Single Room Hollow Door Board (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)						
२९.१६	Embossing Without Film	व.मि.	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
२९.१७	With Hot-stamping Film	व.मि.	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
२९.१८	With Hot-stamping Film and Grooving	व.मि.	४७०.००	४७०.००	४७०.००	४७०.००	४७०.००
	WPC Double Hollow Door Board (Small) (Size from 19 sq. ft. to 22 sq. ft.) (32 mm)						
२९.१९	Embossing Without Film	व.मि.	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
२९.२०	With Hot-stamping Film	व.मि.	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००



Handwritten signatures and notes in Nepali, including 'प्रमुख' (Chief) and 'नियन्त्रण' (Control).

नियन्त्रण विभाग
प्रमुख जिल्ला अधिकारी



क्र.सं.	निर्माण सामग्रीको नाम	इकाई	म्याट कोटको सीकुरा दरले (रुपैयाँ)				
			म्याट कोट/६००	म्याट कोट/८००	म्याट कोट/१०००	म्याट कोट/१२००	म्याट कोट/१४००
१९.२०	With Hot-stamping Film and Grooving	व.फि.	५००.००	५००.००	५००.००	५००.००	५००.००
	WPC Double Hollow Door Board (Medium) (Size from 27 sq. ft. to 26 sq. ft.) (32 mm)						
१९.२१	Embossing Without Film	व.फि.	१२५.००	१२५.००	१२५.००	१२५.००	१२५.००
१९.२२	With Hot-stamping Film	व.फि.	१४०.००	१४०.००	१४०.००	१४०.००	१४०.००
१९.२३	With Hot-stamping Film and Grooving	व.फि.	५००.००	५००.००	५००.००	५००.००	५००.००
	WPC Double Hollow Door Board (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)						
१९.२४	Embossing Without Film	व.फि.	१२५.००	१२५.००	१२५.००	१२५.००	१२५.००
१९.२५	With Hot-stamping Film	व.फि.	१४०.००	१४०.००	१४०.००	१४०.००	१४०.००
१९.२६	With Hot-stamping Film and Grooving	व.फि.	५००.००	५००.००	५००.००	५००.००	५००.००
२०.००	MCM (Modified Clay Material) cladding Material including fitting charge all complete	व.फि.	१५०.००	१५०.००	१५०.००	१५०.००	१५०.००
२१.००	Supply and fitting UPVC Window / 115mm series	व.फि.	५५५.००	५५५.००	५५५.००	५५५.००	५५५.००







ज. किचन तथा बाथरूमका सामग्रीहरू

क्र.सं.	विवरण सामग्रीको नाम	एकक	म्याट बाईको स्वीकृत रेट (रुपैया)				
			सा.र.०७९/०८०	सा.र.०८०/०८१	सा.र.०८१/०८२	सा.र.०८२/०८३	सा.र.०८३/०८४
	सिकहर						
१	मिटल कियेन सिक १८"	सेट	२५८०.००	२५८०.००	२५८०.००	२५८०.००	२५८०.००
२	मिटल कियेन सिक २४"	सेट	३१७८.००	३१७८.००	३१७८.००	३१७८.००	३१७८.००
३	मिटल कियेन सिक ३०"	सेट	४३७१.००	४३७१.००	४३७१.००	४३७१.००	४३७१.००
४	मिटल कियेन सिक ३६"	सेट	५४९९.००	५४९९.००	५४९९.००	५४९९.००	५४९९.००
५	मिटल कियेन सिक ४२"	सेट	६६७४.००	६६७४.००	६६७४.००	६६७४.००	६६७४.००
६	वेबोस्टर मिज ४५ ३० १५	सेट	३६४८.००	३६४८.००	३६४८.००	३६४८.००	३६४८.००
	बाथ बेथिन						
१	बाधापन सेरामिक बाथ बेथिन १२" X १८"	सेट	६३१.००	६३१.००	६३१.००	६३१.००	६३१.००
२	बाधापन सेरामिक बाथ बेथिन २०" X १५"	सेट	७०९.००	७०९.००	७०९.००	७०९.००	७०९.००
३	बाधापन सेरामिक बाथ बेथिन २४" X १५"	सेट	९१८.००	९१८.००	९१८.००	९१८.००	९१८.००
४	काठे टायको पोर्सेलिन ग्लेज कबल बेथिन ४० से.मि.		६८५.००	६८५.००	६८५.००	६८५.००	६८५.००
५	हिन्दुस्तान,सेरा,बाधापनको सेरामिक बा सो सरहको बाथ बेथिन १२"X१८"	सेट	६३१.००	६३१.००	६३१.००	६३१.००	६३१.००
६	हिन्दुस्तान,सेरा,बाधापनको सेरामिक बा सो सरहको बाथ बेथिन २०"X १५"	सेट	७३४.००	७३४.००	७३४.००	७३४.००	७३४.००
७	हिन्दुस्तान,सेरा,बाधापनको सेरामिक बा सो सरहको बाथ बेथिन २४" X १५"	सेट	८८३.००	८८३.००	८८३.००	८८३.००	८८३.००
	मिसर						
१	मि.मि. बाथ मिसर	सेट	४९४०.००	४९४०.००	४९४०.००	४९४०.००	४९४०.००
२	मि.मि. बेथिन मिसर सेन्ट्रल ड्रोन	सेट	४६२०.००	४६२०.००	४६२०.००	४६२०.००	४६२०.००
३	बेथिन मिसर घुमाउन मिल्ने	सेट	४६०८.००	४६०८.००	४६०८.००	४६०८.००	४६०८.००
	पुरिगल तथा फुरिगल पार्तिशन						
१	खालो बाइनका बाइनका पुरिगल	सेट	७४५.००	७४५.००	७४५.००	७४५.००	७४५.००
२	खालो टायको पोर्सेलिन ग्लेज ड्रिजिन ग्लेज भएकी ६० X ३० से.मि.	सेट	३०९४.००	३०९४.००	३०९४.००	३०९४.००	३०९४.००
३	खालो टायको पोर्सेलिन ग्लेज फ्ल्याट टायको मनी	सेट	९९३.००	९९३.००	९९३.००	९९३.००	९९३.००
४	पुनर्गठन टायको पोर्सेलिन ग्लेज फ्ल्याट टायको बाथो मनीको	सेट	९९३३.००	९९३३.००	९९३३.००	९९३३.००	९९३३.००
५	स्टाण्ड पुरिगल	सेट	२९७४.००	२९७४.००	२९७४.००	२९७४.००	२९७४.००
	भातसेट						
१	डिजिटल टाइम रैन १८" टुपल र फुट रेट समेत	सेट	४९४.००	४९४.००	४९४.००	४९४.००	४९४.००
२	डिजिटल रैन २०" टुपल र फुट रेट समेत	सेट	७४९.००	७४९.००	७४९.००	७४९.००	७४९.००
३	डिजिटल रैन २४" टुपल र फुट रेट समेत	सेट	९०९.००	९०९.००	९०९.००	९०९.००	९०९.००
४	फाईबर ग्लास फ्लैट १८" टुपल र फुट रेट समेत	सेट	८२९.००	८२९.००	८२९.००	८२९.००	८२९.००
	कम्पोज						
१	मोडल कम्पोज कम्पोजिट सेट एक टुपल	सेट	३०४६.००	३०४६.००	३०४६.००	३०४६.००	३०४६.००
२	हिन्दुस्तान, सेरा, बाधापन फाईबर कम्पोजिट बा सो सरहको कम्पोजिट सेट सेतो रङ	सेट	६९४८.००	६९४८.००	६९४८.००	६९४८.००	६९४८.००
३	हिन्दुस्तान, सेरा, बाधापन फाईबर कम्पोजिट बा सो सरहको कम्पोजिट सेट काठ रङ	सेट	१०२२०.००	१०२२०.००	१०२२०.००	१०२२०.००	१०२२०.००
४	मो नेशन सेरामिक सिस्टम १० मिटर लम्बाको	सेट	४४४९.००	४४४९.००	४४४९.००	४४४९.००	४४४९.००
५	मो नेशन सेरामिक सिस्टम १० मिटर लम्बाको	सेट	२८४९.००	२८४९.००	२८४९.००	२८४९.००	२८४९.००
६	मो नेशन सेरामिक सिस्टम २ मिटर लम्बाको	सेट	१४१४.००	१४१४.००	१४१४.००	१४१४.००	१४१४.००
७	बाथ सिन कम्पोजिट	सेट	१९६२०.००	१९६२०.००	१९६२०.००	१९६२०.००	१९६२०.००
	कमोन प्लेटेड एसेसोरीजहरू						
१	मि.मि. नोडल सावर	सेट	६९९.००	६९९.००	६९९.००	६९९.००	६९९.००
२	मि.मि. पुन सावर	सेट	१०७४.००	१०७४.००	१०७४.००	१०७४.००	१०७४.००
३	७५ मि.मि. बाथको मि.मि. सावर सेज डिभिजन्ड ग्लाईड	सेट	८३९.००	८३९.००	८३९.००	८३९.००	८३९.००
४	१०० मि.मि. बाथको मि.मि. सावर सेज डिभिजन्ड ग्लाईड	सेट	९६९.००	९६९.००	९६९.००	९६९.००	९६९.००
५	११० मि.मि. बाथो सावर अर्न	सेट	४४४.००	४४४.००	४४४.००	४४४.००	४४४.००
६	१५ मि.मि. बाथको टेलिफोनिक हाथी सावर (1 meter PVC Tube)	सेट	९०९.००	९०९.००	९०९.००	९०९.००	९०९.००
७	१५ मि.मि. बाथको टेलिफोनिक हाथी सावर (1.5 meter PVC Tube)	सेट	१२०२.००	१२०२.००	१२०२.००	१२०२.००	१२०२.००
८	१५ मि.मि. मि.मि. टुपल एक सावर	सेट	९०९.००	९०९.००	९०९.००	९०९.००	९०९.००

Handwritten signatures and notes in Nepali script, including names like 'डा. वि. वि. वि.' and 'डा. वि. वि. वि.'.

डा. वि. वि. वि.
जिल्ला प्रशासन कार्यालय



३५

भ.भ.या.ल. डोकामा प्रयोग हुने हाईवेयरका सामग्रीहरु

क्र.सं.	निर्माण सामग्रीको नाम	प्रति इन्कर्ट	भ्याट बाडिएको स्वीकृत दररेट (रुपैयामा)				
			सा.व.०७९/०८०	सा.व.०८०/०८१	सा.व.०८१/०८२	सा.व.०८२/०८३	सा.व.०८३/०८४
१	पेच फिला (नेपाल मुनस्तर १९७ अनुसार)						
	३/४" १०० पीस		१०२.००	१०२.००	१०२.००	१०२.००	१०२.००
	१" १०० पीस		११८.००	११८.००	११८.००	११८.००	११८.००
	१ १/२" १०० पीस		११०.००	११०.००	११०.००	११०.००	११०.००
	२" १०० पीस		११४.००	११४.००	११४.००	११४.००	११४.००
२	कन्क्रेट पावा छडउन पाकिने सामग्री						
	बेन्ट पाकेट		६४९.००	६४९.००	६४९.००	६४९.००	६४९.००
	मिट्टीगत बाबर १००पात		४९.००	४९.००	४९.००	४९.००	४९.००
	जे हुक के.जी.		१६९.००	१६९.००	१६९.००	१६९.००	१६९.००
	कटोरी बाबर के.जी.		१९४.००	१९४.००	१९४.००	१९४.००	१९४.००
३	होल्ड फास्ट (ब्रिड के.लि. ७ पात)	के.जी.	२१४.००	२१४.००	२१४.००	२१४.००	२१४.००
४	फालामको कच्चा अड रस्.आई. (नेपाल मुनस्तर १७९ अनुसार)						
	५० मि.मि. दर्जन		२०७.००	२०७.००	२०७.००	२०७.००	२०७.००
	७५ मि.मि. दर्जन		२३८.००	२३८.००	२३८.००	२३८.००	२३८.००
	१४ गेज १०० मि.मि. दर्जन		४२२.००	४२२.००	४२२.००	४२२.००	४२२.००
	१२ गेज १२५ मि.मि. दर्जन		४९७.००	४९७.००	४९७.००	४९७.००	४९७.००
५	अल्युमिनियम छेसिकनी						
	७५ मि.मि. गोटा		४४.००	४४.००	४४.००	४४.००	४४.००
	१०० मि.मि. गोटा		६४.००	६४.००	६४.००	६४.००	६४.००
	१२० मि.मि. गोटा		१२८.००	१२८.००	१२८.००	१२८.००	१२८.००
	१०० मि.मि. गोटा		३२९.००	३२९.००	३२९.००	३२९.००	३२९.००
६	फालामको छेसिकनी पालिस गरेको						
	७५ मि.मि. गोटा		३९.००	३९.००	३९.००	३९.००	३९.००
	१०० मि.मि. गोटा		४४.००	४४.००	४४.००	४४.००	४४.००
	१२० मि.मि. गोटा		४७.००	४७.००	४७.००	४७.००	४७.००
	१०० मि.मि. गोटा		१२८.००	१२८.००	१२८.००	१२८.००	१२८.००
७	८ इन्च आई हुक अल्युमिनियमको	गोटा	४७.००	४७.००	४७.००	४७.००	४७.००
८	९ इन्च आई हुक फालामको साधारण	गोटा	३९.००	३९.००	३९.००	३९.००	३९.००
९	सकिङ रोर २५० मि.मि.						
	अल्युमिनियम गोटा		४८६.००	४८६.००	४८६.००	४८६.००	४८६.००
	घास गोटा		१,६८४.००	१,६८४.००	१,६८४.००	१,६८४.००	१,६८४.००
	स्टील गोटा		३८७.००	३८७.००	३८७.००	३८७.००	३८७.००
१०	सडडोमिड डोर कोटर सेट	गोटा	१,६८४.००	१,६८४.००	१,६८४.००	१,६८४.००	१,६८४.००
११	डोर स्विड साधारण	गोटा	२२६.००	२२६.००	२२६.००	२२६.००	२२६.००
१२	स्टील कोटेड रिपिडल						
	३" गोटा		२६.००	२६.००	२६.००	२६.००	२६.००
	४" गोटा		३९.००	३९.००	३९.००	३९.००	३९.००
	६" गोटा		४४.००	४४.००	४४.००	४४.००	४४.००
	८" गोटा		७२.००	७२.००	७२.००	७२.००	७२.००
१३	मिचलको छिस्की						
	३" गोटा		१४३.००	१४३.००	१४३.००	१४३.००	१४३.००
	४" गोटा		२२६.००	२२६.००	२२६.००	२२६.००	२२६.००
	६" गोटा		३९७.००	३९७.००	३९७.००	३९७.००	३९७.००
	८" गोटा		४३३.००	४३३.००	४३३.००	४३३.००	४३३.००
	१०" गोटा		४४७.००	४४७.००	४४७.००	४४७.००	४४७.००
	१२" गोटा		७४६.००	७४६.००	७४६.००	७४६.००	७४६.००
१४	झरु रिपिडल						
	३" गोटा		१९४.००	१९४.००	१९४.००	१९४.००	१९४.००

जिल्ला विकास अधिकारी

क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाढिको स्वीकृत दररेट (रुपैयामा)				
			सा.व.०८९/०८०	सा.व.०९०/०९१	सा.व.०९१/०९२	सा.व.०९२/०९३	सा.व.०९३/०९४
	४ "	गोटा	२२०.००	२२०.००	२२०.००	२२०.००	२२०.००
	६ "	गोटा	४९३.००	४९३.००	४९३.००	४९३.००	४९३.००
	८ "	गोटा	८९८.००	८९८.००	८९८.००	८९८.००	८९८.००
	१० "	गोटा	६४९.००	६४९.००	६४९.००	६४९.००	६४९.००
	१२ "	गोटा	१,०३६.००	१,०३६.००	१,०३६.००	१,०३६.००	१,०३६.००
१५	मोर्टार मक						
	ब्रान्ड कोटड लक	गोटा	२,०७३.००	२,०७३.००	२,०७३.००	२,०७३.००	२,०७३.००
	लि.पि./स्टील लक	गोटा	१,०३६.००	१,०३६.००	१,०३६.००	१,०३६.००	१,०३६.००
	पाउडर कोटड लक	गोटा	१,०३६.००	१,०३६.००	१,०३६.००	१,०३६.००	१,०३६.००
१६	२४ ग्रेज लि.भाई गरिफ्टो ब्रुकमेस- इन्डियन	बर्ग फिट	३४.००	३४.००	३४.००	३४.००	३४.००
१७	कम्प्रेसिबल टाइप लि.आई मस्कीटोपुफ जाली पाथिनज	बर्ग फिट	४६.००	४६.००	४६.००	४६.००	४६.००
१८	ब्रान्ड बर्फ जाली	बर्ग फिट	१२८.००	१२८.००	१२८.००	१२८.००	१२८.००
१९	चिक्लबायर मेस	मिटर	२२०.००	२२०.००	२२०.००	२२०.००	२२०.००
२०	म्यास डोकमा लगाउने सावा सेतोराइको सिमा						
	३.५मी.मी. व.फी		७३.००	७३.००	७३.००	७३.००	७३.००
	४ मी.मी. व.फी		८९.००	८९.००	८९.००	८९.००	८९.००
	५ मी.मी. व.फी		१०८.००	१०८.००	१०८.००	१०८.००	१०८.००
	६ मी.मी. व.फी		१४९.००	१४९.००	१४९.००	१४९.००	१४९.००
२१	म्यास डोकमा लगाउने जाली रडको सिमा						
	३ मी.मी. व.फी		१०८.००	१०८.००	१०८.००	१०८.००	१०८.००
	४ मी.मी. व.फी		११३.००	११३.००	११३.००	११३.००	११३.००
	५ मी.मी. व.फी		१४९.००	१४९.००	१४९.००	१४९.००	१४९.००
	६ मी.मी. व.फी		१४४.००	१४४.००	१४४.००	१४४.००	१४४.००
२२	र.लि.पी प्यानल उपलब्ध गरि फिट गर्ने कार्य	व.मी	४,०४०.००	४,०४०.००	४,०४०.००	४,०४०.००	४,०४०.००

सहित १०० रु. प्रति मीटरको दरले १०० मीटरको लागि १००००.०० रु.को अनुमानित लागत छ।

२०

२१

२२

जिल्ला प्रशासन कार्यालय
 प्रमुख जिल्ला अधिकारी



ज. डिप र स्यालो टयुवेलका सामग्री

सि.नं.	विभाग सामग्रीको नाम	इति इकाई	भ्याट माइक्रो स्वीकृत दररेट (रुपैयामा)				
			सा.व.०७९/०८०	सा.व.०८०/०८१	सा.व.०८१/०८२	सा.व.०८२/०८३	सा.व.०८३/०८४
१	इन्डिया मार्क-२ डिप टयुवेल हेड कनेक्टिङ रड, मिलिङर र अन्य आवश्यक सबै सामान सहित	सेट	२१४९९.००	२१४९९.००	२१४९९.००	२१४९९.००	२१४९९.००
२	इन्डिया मार्क-३ डिप टयुवेल हेड कनेक्टिङ रड, मिलिङर र अन्य आवश्यक सबै सामान सहित	सेट	२४८०७.००	२४८०७.००	२४८०७.००	२४८०७.००	२४८०७.००
३	६ नं. हेण्डपम्प हेड आवश्यक सबै सामान सहित मेडियम-२० के.जि.	सेट	२९७३.००	२९७३.००	२९७३.००	२९७३.००	२९७३.००
४	६ नं. हेण्डपम्प हेड आवश्यक सबै सामान सहित मेडियम-१८ के.जि.	सेट	२६८०.००	२६८०.००	२६८०.००	२६८०.००	२६८०.००
५	६ नं. हेण्डपम्प हेड आवश्यक सबै सामान सहित मेडियम-२४ के.जि.	सेट	३४७३.००	३४७३.००	३४७३.००	३४७३.००	३४७३.००
६	४ नं. हेण्डपम्प हेड आवश्यक सबै सामान सहित मेडियम	सेट	१९८४.००	१९८४.००	१९८४.००	१९८४.००	१९८४.००
७	४ नं. हेण्डपम्प हेड आवश्यक सबै सामान सहित लाइट	सेट	१६४४.००	१६४४.००	१६४४.००	१६४४.००	१६४४.००
८	हेण्डपम्प आलीसा लपेटने मडल	मीटर	१३.००	१३.००	१३.००	१३.००	१३.००
९	इन्डिया मार्क-२ डिप टयुवेल मिलिङर रड माफ	सेट	४४१०.००	४४१०.००	४४१०.००	४४१०.००	४४१०.००
१०	१२ मी.मी. डिप टयुवेलको कनेक्टिङ रड (३.००मी लम्बा)	यान	६०७.००	६०७.००	६०७.००	६०७.००	६०७.००
११	१० मी.मी.को एम.एच.कोमि हेण्डपम्पको लागि	यान	२३८.००	२३८.००	२३८.००	२३८.००	२३८.००
१२	४० मि.मि.आई. स्प्रामिङर ३८०० से.मि.	यान	१९३.००	१९३.००	१९३.००	१९३.००	१९३.००
१३	४० मि.मि.आई. स्प्रामिङर स्टेनर १.२० मी.लांबो	यान	१४०६.००	१४०६.००	१४०६.००	१४०६.००	१४०६.००
१४	४९ मि.मि.आई. स्प्रामिङर स्टेनर १.२० मी.लांबो	यान	१९६८.००	१९६८.००	१९६८.००	१९६८.००	१९६८.००
१५	वि.मि.सि.पाईप एन.एस.- २०६ अनुसारको एक्स फोर्मुल दररेट						
	२० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	३६.००	३६.००	३६.००	३६.००	३६.००
	२५ मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	४३.००	४३.००	४३.००	४३.००	४३.००
	३२ मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	८६.००	८६.००	८६.००	८६.००	८६.००
	४० मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	८८.००	८८.००	८८.००	८८.००	८८.००
	४० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	१३२.००	१३२.००	१३२.००	१३२.००	१३२.००
	४० मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	१३२.००	१३२.००	१३२.००	१३२.००	१३२.००
	४० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	२१८.००	२१८.००	२१८.००	२१८.००	२१८.००
	६३ मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	१४०.००	१४०.००	१४०.००	१४०.००	१४०.००
	६३ मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	२९४.००	२९४.००	२९४.००	२९४.००	२९४.००
	६३ मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	३३२.००	३३२.००	३३२.००	३३२.००	३३२.००
	७५ मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	२९३.००	२९३.००	२९३.००	२९३.००	२९३.००
	७५ मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	२९८.००	२९८.००	२९८.००	२९८.००	२९८.००
	७५ मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	४७४.००	४७४.००	४७४.००	४७४.००	४७४.००
	९० मि.मि. व्यास- २.५ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	१९०.००	१९०.००	१९०.००	१९०.००	१९०.००
	९० मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	२९४.००	२९४.००	२९४.००	२९४.००	२९४.००
	९० मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	४३२.००	४३२.००	४३२.००	४३२.००	४३२.००
	९० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	६७३.००	६७३.००	६७३.००	६७३.००	६७३.००
	११० मि.मि. व्यास- २.५ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	२८२.००	२८२.००	२८२.००	२८२.००	२८२.००
	११० मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
	११० मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	६९७.००	६९७.००	६९७.००	६९७.००	६९७.००
	११० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	१००३.००	१००३.००	१००३.००	१००३.००	१००३.००
	१२५ मि.मि. व्यास- २.५ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	३४८.००	३४८.००	३४८.००	३४८.००	३४८.००
	१२५ मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	४९२.००	४९२.००	४९२.००	४९२.००	४९२.००
	१२५ मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	८३२.००	८३२.००	८३२.००	८३२.००	८३२.००
	१२५ मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	१२८४.००	१२८४.००	१२८४.००	१२८४.००	१२८४.००
	१४० मि.मि. व्यास- २.५ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	४४४.००	४४४.००	४४४.००	४४४.००	४४४.००
	१४० मि.मि. व्यास- ४ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	७९२.००	७९२.००	७९२.००	७९२.००	७९२.००
	१४० मि.मि. व्यास- ६ के.जि. / वर्ग से.मि. स्प्रामि	मिटर	१०३६.००	१०३६.००	१०३६.००	१०३६.००	१०३६.००
	१४० मि.मि. व्यास- १० के.जि. / वर्ग से.मि. स्प्रामि	मिटर	१६२९.००	१६२९.००	१६२९.००	१६२९.००	१६२९.००

Handwritten signatures and notes at the bottom of the page, including a large signature and some illegible text.

मिल युनाइटेड टांग्राड
पम्प मिला अधिकारी

क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	म्याट बाईको स्वीकृत दररेट (रुपैयामा)				
			सा.व.०७९/०८०	सा.व.०८०/०८१	सा.व.०८१/०८२	सा.व.०८२/०८३	सा.व.०८३/०८४
	१५० मि.मि. व्यास- २.५ के जि /वर्ग से.मि. ड्रेसर	मिटर	४८०.००	४८०.००	४८०.००	४८०.००	४८०.००
	१५० मि.मि. व्यास- ४ के जि /वर्ग से.मि. ड्रेसर	मिटर	९२९.००	९२९.००	९२९.००	९२९.००	९२९.००
	१५० मि.मि. व्यास- ६ के जि /वर्ग से.मि. ड्रेसर	मिटर	१३२७.००	१३२७.००	१३२७.००	१३२७.००	१३२७.००
	१५० मि.मि. व्यास- १० के जि /वर्ग से.मि. ड्रेसर	मिटर	२०८४.००	२०८४.००	२०८४.००	२०८४.००	२०८४.००
	१५० मि.मि. व्यास- २.५ के जि /वर्ग से.मि. ड्रेसर	मिटर	७४४.००	७४४.००	७४४.००	७४४.००	७४४.००
	१५० मि.मि. व्यास- ४ के जि /वर्ग से.मि. ड्रेसर	मिटर	११८६.००	११८६.००	११८६.००	११८६.००	११८६.००
	१५० मि.मि. व्यास- ६ के जि /वर्ग से.मि. ड्रेसर	मिटर	१६९३.००	१६९३.००	१६९३.००	१६९३.००	१६९३.००
	१५० मि.मि. व्यास- १० के जि /वर्ग से.मि. ड्रेसर	मिटर	२६४८.००	२६४८.००	२६४८.००	२६४८.००	२६४८.००
	२०० मि.मि. व्यास- २.५ के जि /वर्ग से.मि. ड्रेसर	मिटर	९०७.००	९०७.००	९०७.००	९०७.००	९०७.००
	२०० मि.मि. व्यास- ४ के जि /वर्ग से.मि. ड्रेसर	मिटर	१४३८.००	१४३८.००	१४३८.००	१४३८.००	१४३८.००
	२०० मि.मि. व्यास- ६ के जि /वर्ग से.मि. ड्रेसर	मिटर	२०७३.००	२०७३.००	२०७३.००	२०७३.००	२०७३.००
	२०० मि.मि. व्यास- १० के जि /वर्ग से.मि. ड्रेसर	मिटर	३२६४.००	३२६४.००	३२६४.००	३२६४.००	३२६४.००
१९	मि.मि.सि. पाईप वि.एच. ३४.०५ अनुसारको एसस फेब्रिक् दररेट						
	२९ मि.मि. व्यास - E class	मिटर	४२.००	४२.००	४२.००	४२.००	४२.००
	२९ मि.मि. व्यास - E class	मिटर	७८.००	७८.००	७८.००	७८.००	७८.००
	३३ मि.मि. व्यास - E class	मिटर	१०९.००	१०९.००	१०९.००	१०९.००	१०९.००
	४२ मि.मि. व्यास - E class	मिटर	११२.००	११२.००	११२.००	११२.००	११२.००
	४२ मि.मि. व्यास - D class	मिटर	१३६.००	१३६.००	१३६.००	१३६.००	१३६.००
	४८ मि.मि. व्यास-D class	मिटर	१७४.००	१७४.००	१७४.००	१७४.००	१७४.००
	४८ मि.मि. व्यास-E class	मिटर	२१२.००	२१२.००	२१२.००	२१२.००	२१२.००
	६० मि.मि. व्यास-Cclass	मिटर	२२९.००	२२९.००	२२९.००	२२९.००	२२९.००
	६० मि.मि. व्यास-D class	मिटर	२३०.००	२३०.००	२३०.००	२३०.००	२३०.००
	६० मि.मि. व्यास-E class	मिटर	३३४.००	३३४.००	३३४.००	३३४.००	३३४.००
	८९ मि.मि. व्यास-Cclass	मिटर	४४८.००	४४८.००	४४८.००	४४८.००	४४८.००
	८९ मि.मि. व्यास-D class	मिटर	४७०.००	४७०.००	४७०.००	४७०.००	४७०.००
	८९ मि.मि. व्यास-E class	मिटर	६९९.००	६९९.००	६९९.००	६९९.००	६९९.००
	११४ मि.मि. व्यास-Cclass	मिटर	७३९.००	७३९.००	७३९.००	७३९.००	७३९.००
	११४ मि.मि. व्यास-D class	मिटर	९४२.००	९४२.००	९४२.००	९४२.००	९४२.००
	११४ मि.मि. व्यास-E class	मिटर	११३४.००	११३४.००	११३४.००	११३४.००	११३४.००
	१४० मि.मि. व्यास-Cclass	मिटर	१०८९.००	१०८९.००	१०८९.००	१०८९.००	१०८९.००
	१४० मि.मि. व्यास-D class	मिटर	१४१३.००	१४१३.००	१४१३.००	१४१३.००	१४१३.००
	१४० मि.मि. व्यास-E class	मिटर	१६९६.००	१६९६.००	१६९६.००	१६९६.००	१६९६.००
	१६८ मि.मि. व्यास-Cclass	मिटर	१३४४.००	१३४४.००	१३४४.००	१३४४.००	१३४४.००
	१६८ मि.मि. व्यास-D class	मिटर	२०२९.००	२०२९.००	२०२९.००	२०२९.००	२०२९.००
	१६८ मि.मि. व्यास-E class	मिटर	२४३७.००	२४३७.००	२४३७.००	२४३७.००	२४३७.००
	२१९ मि.मि. व्यास-Cclass	मिटर	२३८६.००	२३८६.००	२३८६.००	२३८६.००	२३८६.००
	२१९ मि.मि. व्यास-D class	मिटर	३९०४.००	३९०४.००	३९०४.००	३९०४.००	३९०४.००
	२१९ मि.मि. व्यास-E class	मिटर	३७९८.००	३७९८.००	३७९८.००	३७९८.००	३७९८.००
१०	मि.मि.सि.फिटिङ र एसेसोरीज						
१	४८ मि.मि. मि.मि.सि. रिच्छ वेल्ड सिङ्गन १ मिटरको	गोटा	७६४.००	७६४.००	७६४.००	७६४.००	७६४.००
२	४८ मि.मि. मि.मि.सि.रोको वेल्ड सिङ्गन १ मिटरको	गोटा	९७१.००	९७१.००	९७१.००	९७१.००	९७१.००
३	४८ मि.मि. मि.मि.सि. स्क्रान्ड टुप्राप १ मिटरको	गोटा	२७८.००	२७८.००	२७८.००	२७८.००	२७८.००
४	४८ मि.मि. एच.एफ. पुरि भएको एडेप्टर	गोटा	९३.००	९३.००	९३.००	९३.००	९३.००
५	४८ मि.मि. मि.मि.सि. स्टुट क्लपर	गोटा	९३.००	९३.००	९३.००	९३.००	९३.००
६	११४ मि.मि. मि.मि.सि. रिच्छ वेल्ड सिङ्गन १ मिटरको	गोटा	१३०८.००	१३०८.००	१३०८.००	१३०८.००	१३०८.००
७	मि.मि.सि. क्लपर						
	३० मि.मि. व्यास	गोटा	३७.००	३७.००	३७.००	३७.००	३७.००
	७५ मि.मि. व्यास	गोटा	९३.००	९३.००	९३.००	९३.००	९३.००
	११० मि.मि. व्यास	गोटा	१४४.००	१४४.००	१४४.००	१४४.००	१४४.००
८	मि.मि.सि.वेल्ड ८७.५ डिग्री						

दिग्विजय रायजाल
 प्रमुख निस्सा अधिकारी




क्र.सं.	विभागीय सामग्रीको नाम	प्रति इकाई	म्याट बाहेकको स्वीकृत दररेट (रुपैयामा)				
			सा.र.००१/०८०	सा.र.०८०/०८१	सा.र.०८१/०८२	सा.र.०८२/०८३	सा.र.०८३/०८४
	१० मि.मि.प्यास	पान	११.००	११.००	११.००	११.००	११.००
	७५ मि.मि.प्यास	पान	१३९.००	१३९.००	१३९.००	१३९.००	१३९.००
	११० मि.मि.प्यास	पान	१४८८.००	१४८८.००	१४८८.००	१४८८.००	१४८८.००
९	मि.मि.सि.वेण्ड ८५५ डिग्री (with Door)						
	७५ मि.मि.प्यास	पान	१६८.००	१६८.००	१६८.००	१६८.००	१६८.००
	११० मि.मि.प्यास	पान	२६७.००	२६७.००	२६७.००	२६७.००	२६७.००
१०	मि.मि.सि.वेण्ड ४५ डिग्री						
	१० मि.मि.प्यास	पान	१३.००	१३.००	१३.००	१३.००	१३.००
	७५ मि.मि.प्यास	पान	१०४.००	१०४.००	१०४.००	१०४.००	१०४.००
	११० मि.मि.प्यास	पान	१८०.००	१८०.००	१८०.००	१८०.००	१८०.००
११	मि.मि.सि.सिङ्गल टि						
	१० मि.मि.प्यास	पान	८१.००	८१.००	८१.००	८१.००	८१.००
	७५ मि.मि.प्यास	पान	१०९.००	१०९.००	१०९.००	१०९.००	१०९.००
	११० मि.मि.प्यास	पान	३०१.००	३०१.००	३०१.००	३०१.००	३०१.००
१२	मि.मि.सि.सिङ्गल टि (with Door)						
	७५ मि.मि.प्यास	पान	२०२.००	२०२.००	२०२.००	२०२.००	२०२.००
	११० मि.मि.प्यास	पान	३४८.००	३४८.००	३४८.००	३४८.००	३४८.००
१३	मि.मि.सि.डबल टि						
	७५ मि.मि.प्यास	पान	४०३.००	४०३.००	४०३.००	४०३.००	४०३.००
	११० मि.मि.प्यास	पान	६७२.००	६७२.००	६७२.००	६७२.००	६७२.००
१४	मि.मि.सि.डबल टि (with Door)						
	७५ मि.मि.प्यास	पान	४९२.००	४९२.००	४९२.००	४९२.००	४९२.००
	११० मि.मि.प्यास	पान	८३४.००	८३४.००	८३४.००	८३४.००	८३४.००
१५	मि.मि.सि.हार्डम स्लिप						
	१० मि.मि.प्यास	पान	२१.००	२१.००	२१.००	२१.००	२१.००
	७५ मि.मि.प्यास	पान	२८.००	२८.००	२८.००	२८.००	२८.००
	११० मि.मि.प्यास	पान	३९.००	३९.००	३९.००	३९.००	३९.००
१६	मि.मि.सि. सेन्ट वॉकल स्लिप						
	७५ मि.मि.प्यास	पान	६३.००	६३.००	६३.००	६३.००	६३.००
	११० मि.मि.प्यास	पान	१०६.००	१०६.००	१०६.००	१०६.००	१०६.००
१७	मि.मि.सि. सार्केट प्लग स्लिप						
	७५ मि.मि.प्यास	पान	८६.००	८६.००	८६.००	८६.००	८६.००
	११० मि.मि.प्यास	पान	१२७.००	१२७.००	१२७.००	१२७.००	१२७.००
१८	मि.मि.सि.सिङ्गल बार्ड						
	७५ मि.मि.प्यास	पान	१८६.००	१८६.००	१८६.००	१८६.००	१८६.००
	११० मि.मि.प्यास	पान	३०९.००	३०९.००	३०९.००	३०९.००	३०९.००
१९	मि.मि.सि.सिङ्गल बार्ड (with Door)						
	७५ मि.मि.प्यास	पान	२४७.००	२४७.००	२४७.००	२४७.००	२४७.००
	११० मि.मि.प्यास	पान	४६४.००	४६४.००	४६४.००	४६४.००	४६४.००
२०	मि.मि.सि.डबल बार्ड						
	७५ मि.मि.प्यास	पान	२६४.००	२६४.००	२६४.००	२६४.००	२६४.००
	११० मि.मि.प्यास	पान	४८७.००	४८७.००	४८७.००	४८७.००	४८७.००
२१	मि.मि.सि.डबल बार्ड (with Door)						
	७५ मि.मि.प्यास	पान	३८२.००	३८२.००	३८२.००	३८२.००	३८२.००
	११० मि.मि.प्यास	पान	४९३.००	४९३.००	४९३.००	४९३.००	४९३.००
२२	क्लान्ड बार्ड बाइप (cleaning pipe)						
	७५ मि.मि.प्यास	पान	११६.००	११६.००	११६.००	११६.००	११६.००
	११० मि.मि.प्यास	पान	३०९.००	३०९.००	३०९.००	३०९.००	३०९.००
२३	रेड्युसर ११०x ७५ मि.मि	पान	११६.००	११६.००	११६.००	११६.००	११६.००
२४	मि.मि.सि. फ्लोअर ट्र्याप ४"x२"x२" (P Trap)	गोटा	६०८.००	६०८.००	६०८.००	६०८.००	६०८.००
२५	मि.मि.सि. फ्लोअर ट्र्याप ३"x२"x२" (P Trap)	गोटा	४७९.००	४७९.००	४७९.००	४७९.००	४७९.००

Handwritten signatures and notes at the bottom of the page.

मि.सुभाष दाहाल
प्रमुख मिला अधिकारी

क्र.सं.	निर्माण सामग्रीको नाम	इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)				
			स.स.००१/०००	स.स.००२/००१	स.स.००३/००२	स.स.००४/००३	स.स.००५/००४
२६	वि.मि.मि. मन्टी टुपाप ४"×३"	मेटा	३३६.००	३३६.००	३३६.००	३३६.००	३३६.००
२७	महानी टुपाप ३"×२.५"	मेटा	३०९.००	३०९.००	३०९.००	३०९.००	३०९.००
२८	डब्लु बी कनेक्टर (Bent type)	मेटा	३१३.००	३१३.००	३१३.००	३१३.००	३१३.००
२९	स्वाचर टायन जाली सनेल	मेटा	९९.००	९९.००	९९.००	९९.००	९९.००
३०	मोमो जाली	मेटा	४७.००	४७.००	४७.००	४७.००	४७.००
३१	रेटुसर ७५×५० ५० मि.मि. व्यास	मेटा	८९.००	८९.००	८९.००	८९.००	८९.००
३२	इन्ड्र क्लाप ५० मि.मि. व्यास	मेटा	३४.००	३४.००	३४.००	३४.००	३४.००
३३	४"एम.एस. मोरीङ पाइप मेटेरियल						
	४"एम.एस. मेडियम पाइप	मिटर	१२६२.००	१२६२.००	१२६२.००	१२६२.००	१२६२.००
	४"एम.एस. मेडियम क्ल्यासिफाइड फिटर ३.०० मि. लामो	मेटा	३९१५.००	३९१५.००	३९१५.००	३९१५.००	३९१५.००
	४"एम.एस. मेडियम क्ल्यासिफाइड सनेट	मेटा	४९०.००	४९०.००	४९०.००	४९०.००	४९०.००
	४×४×१ १/२ जि. ब्राड. टी	मेटा	१७७.००	१७७.००	१७७.००	१७७.००	१७७.००
	४" जि. ब्राड. निचल	मेटा	२०९.००	२०९.००	२०९.००	२०९.००	२०९.००
	१ १/२ जि. ब्राड. निचल	मेटा	३१८.००	३१८.००	३१८.००	३१८.००	३१८.००
	४"एम.एस. सक्शन पाइप	मिटर	७०९.००	७०९.००	७०९.००	७०९.००	७०९.००
	४" जि. ब्राड. पलक	मेटा	१९१.००	१९१.००	१९१.००	१९१.००	१९१.००
	१ १/२ पलक	मेटा	६३.००	६३.००	६३.००	६३.००	६३.००
	४"डोमिभरी पाइप	कन्टी	२२२.००	२२२.००	२२२.००	२२२.००	२२२.००
३४	४"पि.मि.मि./एच.डि.पी. मोरिङ मेटेरियल						
	४"पि.मि.मि. क्ल्यासिफाइड पाइप	मिटर	६७२.००	६७२.००	६७२.००	६७२.००	६७२.००
	४"पि.मि.मि. क्ल्यासिफाइड स्टेनर	मिटर	१०७३.००	१०७३.००	१०७३.००	१०७३.००	१०७३.००
	४"एम.एस. पाइप ५' लामो	मेटा	२४४१.००	२४४१.००	२४४१.००	२४४१.००	२४४१.००
	कोलोन्ट सिमेन्ट	बाकेट	६३.००	६३.००	६३.००	६३.००	६३.००
	नङ्गलर जाली	मेटा	६३.००	६३.००	६३.००	६३.००	६३.००
	४"जि.ब्राड.पाइप डेडिङ	मेटा	१९१.००	१९१.००	१९१.००	१९१.००	१९१.००
३५	३"जि. ब्राड. मोरिङ पाइप मेटेरियल						
	३"जि. ब्राड. मेडियम पाइप	मिटर	१२१४.००	१२१४.००	१२१४.००	१२१४.००	१२१४.००
	३"जि. ब्राड. स्टेनर ३.०० लामो	मेटा	४८३९.००	४८३९.००	४८३९.००	४८३९.००	४८३९.००
	३"क्लासिफाइड सनेट	मेटा	४२८.००	४२८.००	४२८.००	४२८.००	४२८.००
	३×३×१ १/२ जि. ब्राड. टी	मेटा	१०९९.००	१०९९.००	१०९९.००	१०९९.००	१०९९.००
	३" जि. ब्राड. निचल	मेटा	१८६.००	१८६.००	१८६.००	१८६.००	१८६.००
	३"एम.एस. सक्शन पाइप	मिटर	३४८.००	३४८.००	३४८.००	३४८.००	३४८.००
	३" जि. ब्राड. पलक	मेटा	१६३.००	१६३.००	१६३.००	१६३.००	१६३.००
३६	पोलिप्रोपिलिन रेन्डम कोपोलिमर पाइप (Polypropylene Random Co-polymer pipe)						
	a.PN-2 Class						
	२० मि.मि. बाहिरी व्यास	मिटर	११०.००	११०.००	११०.००	११०.००	११०.००
	२५ मि.मि. बाहिरी व्यास	मिटर	१७४.००	१७४.००	१७४.००	१७४.००	१७४.००
	३२ मि.मि. बाहिरी व्यास	मिटर	२८२.००	२८२.००	२८२.००	२८२.००	२८२.००
	४० मि.मि. बाहिरी व्यास	मिटर	४४०.००	४४०.००	४४०.००	४४०.००	४४०.००
	५० मि.मि. बाहिरी व्यास	मिटर	६८८.००	६८८.००	६८८.००	६८८.००	६८८.००
	६३ मि.मि. बाहिरी व्यास	मिटर	१०६२.००	१०६२.००	१०६२.००	१०६२.००	१०६२.००
	b.PN-2.5 Class						
	२० मि.मि. बाहिरी व्यास	मिटर	१३३.००	१३३.००	१३३.००	१३३.००	१३३.००
	२५ मि.मि. बाहिरी व्यास	मिटर	२०२.००	२०२.००	२०२.००	२०२.००	२०२.००
	३२ मि.मि. बाहिरी व्यास	मिटर	३२४.००	३२४.००	३२४.००	३२४.००	३२४.००
	४० मि.मि. बाहिरी व्यास	मिटर	४९०.००	४९०.००	४९०.००	४९०.००	४९०.००
	५० मि.मि. बाहिरी व्यास	मिटर	७८८.००	७८८.००	७८८.००	७८८.००	७८८.००
	६३ मि.मि. बाहिरी व्यास	मिटर	१२२८.००	१२२८.००	१२२८.००	१२२८.००	१२२८.००



दिल बुगार तामाङ
 प्रमुख जिल्ला अभियन्ता



८. खानेपानीका फिटिङका सामग्रीहरू

क्र.सं.	सामग्रीको नाम	एकै इकाई	म्याट कोटको एकीकृत दर (रुपैयाँमा)				
			स.स.००१/०००	स.स.००२/००१	स.स.००३/००२	स.स.००४/००३	स.स.००५/००४
१	विभिन्न पाइपहरू						
१.१	एच.एस.ए. (PE-100) ३००ममको पत्रिभिन्न पाइप विभिन्न सजुन	के. मि.	२०.००	२५.००	२०.००	२०.००	२०.००
१.२	वि.पाई. प्रयोजनको पोलिथिन डेलीभरी पाइप	के. मि.	२२२.००	२२२.००	२२२.००	२२२.००	२२२.००
१.३	वि.पाई. प्रयोजनको केवलर पाइप ३ "	र. मि.	१६२.००	१६२.००	१६२.००	१६२.००	१६२.००
१.४	वि.पाई. प्रयोजनको केवलर पाइप ४ "	र. मि.	३२०.००	३२०.००	३२०.००	३२०.००	३२०.००
१.५	वि.पाई. प्रयोजनको कटन डेलीभरी पाइप ३ "	र. मि.	२००.००	२००.००	२००.००	२००.००	२००.००
१.६	वि.पाई. प्रयोजनको कटन डेलीभरी पाइप ४ "	र. मि.	२९०.००	२९०.००	२९०.००	२९०.००	२९०.००
१.७	वि.पाई. प्रयोजनको कटन डेलीभरी पाइप ५ "	र. मि.	३९२.००	३९२.००	३९२.००	३९२.००	३९२.००
२	एन.जि.पि. वाटर स्टोरेज टैंक (एन.एस.-३५३)	र. मि.	१३.००	१४.००	१४.००	१४.००	१४.००
३	वाटरपम्पहरू						
	डिजेल पम्पहरू						
	४.५ हार्प पावर	मीटर	४९९९३.००	४९,९९३.००	४९,९९३.००	४९,९९३.००	४९,९९३.००
	४.५ हार्प पावर	मीटर	२३९०९.००	२३,९०९.००	२३,९०९.००	२३,९०९.००	२३,९०९.००
	४.५ हार्प पावर	मीटर	३९४२९.००	३९,४२९.००	३९,४२९.००	३९,४२९.००	३९,४२९.००
	R-170 डिजेल पम्प सेट पाइपिङ २ एच.मि.	मीटर	२३०००.००	२३,०००.००	२३,०००.००	२३,०००.००	२३,०००.००
	३ हार्प पावर इन्डियन डिजेल पम्प	मीटर	४२०००.००	४२,०००.००	४२,०००.००	४२,०००.००	४२,०००.००
	३ हार्प पावर केरीकिन पम्प	मीटर	१४२००.००	१४,२००.००	१४,२००.००	१४,२००.००	१४,२००.००
	६ पाइपिङ वाटर पम्प						
	०.५० हार्प पावर	मीटर	४४९०.००	४,४९०.००	४,४९०.००	४,४९०.००	४,४९०.००
	६ इन्डियन वाटर पम्प वाटर एल.को १००१-२००० क्लास						
	०.५ हार्प पावर	मीटर	९३७९.००	९,३७९.००	९,३७९.००	९,३७९.००	९,३७९.००
	१ हार्प पावर	मीटर	१६३३०.००	१६,३३०.००	१६,३३०.००	१६,३३०.००	१६,३३०.००
	१.५ हार्प पावर	मीटर	२०९४०.००	२०,९४०.००	२०,९४०.००	२०,९४०.००	२०,९४०.००
	६ इन्डियन समरसिक्ल पम्प (स्टेन्डर्ड कम्पनि)						
	वाटर एल.को १००१-२००० क्लास (three phase)						
	३ हार्प पावर	मीटर	६०३२६.००	६०,३२६.००	६०,३२६.००	६०,३२६.००	६०,३२६.००
	०.५ हार्प पावर	मीटर	१२९७००.००	१२,९७००.००	१२,९७००.००	१२,९७००.००	१२,९७००.००
	१० हार्प पावर	मीटर	१०६४००.००	१०,६४००.००	१०,६४००.००	१०,६४००.००	१०,६४००.००
	५२.५ हार्प पावर	मीटर	१०९९९३.००	१०,९९९३.००	१०,९९९३.००	१०,९९९३.००	१०,९९९३.००
	१५ हार्प पावर	मीटर	१९४०४०.००	१९,४०४०.००	१९,४०४०.००	१९,४०४०.००	१९,४०४०.००
	२० हार्प पावर	मीटर	२१५०००.००	२१,५०००.००	२१,५०००.००	२१,५०००.००	२१,५०००.००
	२५ हार्प पावर	मीटर	२४३०००.००	२४,३०००.००	२४,३०००.००	२४,३०००.००	२४,३०००.००
	४० हार्प पावर	मीटर	३०००००.००	३०,००००.००	३०,००००.००	३०,००००.००	३०,००००.००
	५. व्यानल मोडेल एन.एस.टि. वा सी सरल						
	५.५ हार्प पावर		३२०००.००	३२,०००.००	३२,०००.००	३२,०००.००	३२,०००.००
	१०.५ हार्प पावर	मीटर	३४०००.००	३४,०००.००	३४,०००.००	३४,०००.००	३४,०००.००
	२० हार्प पावर	मीटर	७००००.००	७०,०००.००	७०,०००.००	७०,०००.००	७०,०००.००
	१५.५ हार्प पावर	मीटर	८४०००.००	८४,०००.००	८४,०००.००	८४,०००.००	८४,०००.००
४	वि.पाई. पाइप लाईट क्लास (एन.एस.-१९९)						
	१५ मि.मि. व्यास	मीटर	१४३.००	१४३.००	१४३.००	१४३.००	१४३.००
	२० मि.मि. व्यास	मीटर	१९२.००	१९२.००	१९२.००	१९२.००	१९२.००
	२५ मि.मि. व्यास	मीटर	२४१.००	२४१.००	२४१.००	२४१.००	२४१.००
	३० मि.मि. व्यास	मीटर	३२२.००	३२२.००	३२२.००	३२२.००	३२२.००
	४० मि.मि. व्यास	मीटर	४३३.००	४३३.००	४३३.००	४३३.००	४३३.००
	५० मि.मि. व्यास	मीटर	५४४.००	५४४.००	५४४.००	५४४.००	५४४.००
	६० मि.मि. व्यास	मीटर	६५५.००	६५५.००	६५५.००	६५५.००	६५५.००
	७० मि.मि. व्यास	मीटर	७६६.००	७६६.००	७६६.००	७६६.००	७६६.००
	८० मि.मि. व्यास	मीटर	८७७.००	८७७.००	८७७.००	८७७.००	८७७.००
	९० मि.मि. व्यास	मीटर	९८८.००	९८८.००	९८८.००	९८८.००	९८८.००
	१०० मि.मि. व्यास	मीटर	१,०९९.००	१,०९९.००	१,०९९.००	१,०९९.००	१,०९९.००
	१२५ मि.मि. व्यास	मीटर	१,२००.००	१,२००.००	१,२००.००	१,२००.००	१,२००.००
	१५० मि.मि. व्यास	मीटर	१,३००.००	१,३००.००	१,३००.००	१,३००.००	१,३००.००
	२०० मि.मि. व्यास	मीटर	२,०००.००	२,०००.००	२,०००.००	२,०००.००	२,०००.००

सिल मुन्नार दानाड

 प्रमुख जिल्ला अधिकारी

क्र.सं.	सावरीको नाम	प्रति इकाई	भ्याट बाइजको स्वीकृत दर (रुपैयामा)				
			सा.र.०४९/०८०	सा.र.०५०/०८१	सा.र.०५१/०८२	सा.र.०५२/०८३	सा.र.०५३/०८४
३	वि.आई.पाइप मिडियम क्लास एन.एस.-१९९						
	१५ मि.मि. व्यास	मीटर	१७६.००	१९०.००	१९०.००	१९९.२०	१९९.२०
	२० मि.मि. व्यास	मीटर	२१४.००	२४२.००	२४२.००	२४२.९२	२४२.९२
	२५ मि.मि. व्यास	मीटर	२९९.००	३२९.००	३२९.००	३२९.४२	३२९.४२
	३२ मि.मि. व्यास	मीटर	४४४.००	४८१.००	४८१.००	४८१.०४	४८१.०४
	४० मि.मि. व्यास	मीटर	६११.००	६२४.००	६२४.००	६२४.००	६२४.००
	५० मि.मि. व्यास	मीटर	८०३.००	८०३.००	८०३.००	८०३.१०	८०३.१०
	६५ मि.मि. व्यास	मीटर	८९४.००	९०३.००	९०३.००	९०३.६२	९०३.६२
	८० मि.मि. व्यास	मीटर	१,१९६.००	१,२१०.००	१,२१०.००	१,२१०.२०	१,२१०.२०
	१०० मि.मि. व्यास	मीटर	१,६०२.००	१,६१४.००	१,६१४.००	१,६१४.००	१,६१४.००
	१२५ मि.मि. व्यास	मीटर	२,१८६.००	२,२०९.००	२,२०९.००	२,२०९.२२	२,२०९.२२
	१५० मि.मि. व्यास	मीटर	२,६४३.००	२,६६६.००	२,६६६.००	२,६६६.२४	२,६६६.२४
	२०० मि.मि. व्यास	मीटर	४,०७३.००	४,१०६.००	४,१०६.००	४,१०६.३०	४,१०६.३०
४	वि.आई. पाईप डेन्डी एन.एस.-१९९						
	१५ मि.मि. व्यास	मीटर	१००.००	२१०.००	२१०.००	२१०.६२	२१०.६२
	२० मि.मि. व्यास	मीटर	२४२.००	२४२.००	२४२.००	२४२.९२	२४२.९२
	२५ मि.मि. व्यास	मीटर	३२९.००	४९१.००	४९१.००	४९१.६२	४९१.६२
	३२ मि.मि. व्यास	मीटर	४८१.००	४८१.००	४८१.००	४८१.०४	४८१.०४
	४० मि.मि. व्यास	मीटर	६११.००	६११.००	६११.००	६११.००	६११.००
	५० मि.मि. व्यास	मीटर	८०३.००	८०३.००	८०३.००	८०३.१०	८०३.१०
	६५ मि.मि. व्यास	मीटर	८९४.००	८९४.००	८९४.००	८९४.००	८९४.००
	८० मि.मि. व्यास	मीटर	१,१९६.००	१,१९६.००	१,१९६.००	१,१९६.००	१,१९६.००
	१०० मि.मि. व्यास	मीटर	१,६०२.००	१,६०२.००	१,६०२.००	१,६०२.००	१,६०२.००
	१२५ मि.मि. व्यास	मीटर	२,१८६.००	२,१८६.००	२,१८६.००	२,१८६.००	२,१८६.००
	१५० मि.मि. व्यास	मीटर	२,६४३.००	२,६४३.००	२,६४३.००	२,६४३.००	२,६४३.००
	२०० मि.मि. व्यास	मीटर	४,०७३.००	४,०७३.००	४,०७३.००	४,०७३.००	४,०७३.००
	२२० मि.मि. व्यास माइन्ड स्टील पाइप १-७ एन.एस.	मीटर	७,२२४.००	७,२२४.००	७,२२४.००	७,२२४.००	७,२२४.००
	२०० मि.मि. व्यास माइन्ड स्टील पाइप १-७ मि. मि. माइन्ड	मीटर	४,२९०.००	४,२९०.००	४,२९०.००	४,२९०.००	४,२९०.००
	१५० मि.मि. व्यास माइन्ड स्टील पाइप	मीटर	३,४९०.००	३,४९०.००	३,४९०.००	३,४९०.००	३,४९०.००
	१५० मि.मि. व्यास स्लोटेड जालि पाइप माइन्ड ६-७ मि.मि.						
	१५० मि.मि. व्यास स्लोटेड जालि पाइप माइन्ड ६-७ मि.मि.						
	२०० मि.मि. व्यास स्लोटेड जालि पाइप माइन्ड ६-७ मि.मि.	मीटर	३,३००.००	३,३००.००	३,३००.००	३,३००.००	३,३००.००
	१५० मि.मि. व्यास स्लोटेड जालि पाइप माइन्ड ६-७ मि.मि.	मीटर	४,३००.००	४,३००.००	४,३००.००	४,३००.००	४,३००.००
	14 mm thick surface plate of suitable hole and MS/GI band and its installation 8-10" Housing pipe	मीटर	२४,०००.००	२४,०००.००	२४,०००.००	२४,०००.००	२४,०००.००
७	२०० मि.मि. व्यास एम.एस. जेनरेशन वा सी सरत पाइप-६-७ मि.मि.	मीटर	१६,०००.००	१६,०००.००	१६,०००.००	१६,०००.००	१६,०००.००
८	१५० मि.मि. व्यास एम.एस. जेनरेशन वा सी सरत पाइप-६-७ मि.मि.	मीटर	१२,४००.००	१२,४००.००	१२,४००.००	१२,४००.००	१२,४००.००
९	वि.आई. एन्वी (एन.एस.-३८३)						
	१५ मि.मि. व्यास	मीटर	४३.००	४३.००	४३.००	४३.००	४३.००
	२० मि.मि. व्यास	मीटर	६२.००	७२.००	७२.००	७२.००	७२.००
	२५ मि.मि. व्यास	मीटर	१०९.००	११४.००	११४.००	११४.००	११४.००
	३२ मि.मि. व्यास	मीटर	१९२.००	१७३.००	१७३.००	१७३.००	१७३.००
	४० मि.मि. व्यास	मीटर	२३४.००	२४४.००	२४४.००	२४४.००	२४४.००
	५० मि.मि. व्यास	मीटर	३६९.००	३७९.००	३७९.००	३७९.००	३७९.००
	६५ मि.मि. व्यास	मीटर	६८२.००	७१९.००	७१९.००	७१९.००	७१९.००
	८० मि.मि. व्यास	मीटर	९२९.००	९७९.००	९७९.००	९७९.००	९७९.००
	१०० मि.मि. व्यास	मीटर	१,६६९.००	१,७६९.००	१,७६९.००	१,७६९.००	१,७६९.००
	१५० मि.मि. व्यास	मीटर	१,८००.००	१,८९०.००	१,८९०.००	१,८९०.००	१,८९०.००
	२०० मि.मि. व्यास	मीटर	३,३००.००	३,६२४.००	३,६२४.००	३,६२४.००	३,६२४.००
१०	वि.आई. रेडुसर एन्वी (एन.एस.-३८३)						
	२० मि.मि. व्यास	मीटर	७२.००	७२.००	७२.००	७२.००	७२.००
	२५ मि.मि. व्यास	मीटर	११२.००	११४.००	११४.००	११४.००	११४.००
	३२ मि.मि. व्यास	मीटर	१७६.००	१८४.००	१८४.००	१८४.००	१८४.००
	४० मि.मि. व्यास	मीटर	२४३.००	२४३.००	२४३.००	२४३.००	२४३.००
	५० मि.मि. व्यास	मीटर	३७६.००	३९४.००	३९४.००	३९४.००	३९४.००
	६५ मि.मि. व्यास	मीटर	७२४.००	७६०.००	७६०.००	७६०.००	७६०.००




दिनांक ०८/०८/२०७३
 प्रमुख जिल्ला अधिकारी

क्र.सं.	सावधानी का नाम	इति इकाई	आवृत्ति के अनुसार वरीकृत दर (रुपया)				
			आ. २.००१/००२	आ. २.००२/००३	आ. २.००३/००४	आ. २.००४/००५	आ. २.००५/००६
	३२ मि.मि. व्यास	गोटा	२०३.००	२१३.००	२१३.००	२१३.००	२१३.००
	२० मि.मि. व्यास	गोटा	१६३.००	१७३.००	१७३.००	१७३.००	१७३.००
	१० मि.मि. व्यास	गोटा	४३०.००	४४१.००	४४१.००	४४१.००	४४१.००
	६ मि.मि. व्यास	गोटा	७७९.००	८१७.००	८१७.००	८१७.००	८१७.००
	४० मि.मि. व्यास	गोटा	६१९८.००	६१७३.००	६१७३.००	६१७३.००	६१७३.००
	१०० मि.मि. व्यास	गोटा	१,६१०.००	१,६१०.००	१,६१०.००	१,६१०.००	१,६१०.००
	१५० मि.मि. व्यास	गोटा	२,७२०.००	२,७२०.००	२,७२०.००	२,७२०.००	२,७२०.००
	२०० मि.मि. व्यास	गोटा	३,४००.००	३,४००.००	३,४००.००	३,४००.००	३,४००.००
	१५ मि.मि. व्यास	सेट	३३१.००	३३६.००	३३६.००	३३६.००	३३६.००
	२० मि.मि. व्यास	सेट	४०९.००	४२९.००	४२९.००	४२९.००	४२९.००
१७	२५ मि.मि. व्यास	सेट	४६७.००	४९०.००	४९०.००	४९०.००	४९०.००
	३२ मि.मि. व्यास	सेट	१,१०८.००	१,१६३.००	१,१६३.००	१,१६३.००	१,१६३.००
	४० मि.मि. व्यास	सेट	१,१६९.००	१,२२३.००	१,२२३.००	१,२२३.००	१,२२३.००
	६० मि.मि. व्यास	सेट	१,४१२.००	१,४८२.००	१,४८२.००	१,४८२.००	१,४८२.००
	८५ मि.मि. व्यास	सेट	१,८२३.००	१,९१९.००	१,९१९.००	१,९१९.००	१,९१९.००
	८० मि.मि. व्यास	सेट	२,११८.००	२,२१३.००	२,२१३.००	२,२१३.००	२,२१३.००
	१०० मि.मि. व्यास	सेट	२,४२१.००	२,५१८.००	२,५१८.००	२,५१८.००	२,५१८.००
	१२५ मि.मि. व्यास	सेट	२,९१८.००	२,९२३.००	२,९२३.००	२,९२३.००	२,९२३.००
	१५० मि.मि. व्यास	सेट	३,४२३.००	३,४२८.००	३,४२८.००	३,४२८.००	३,४२८.००
	२०० मि.मि. व्यास	सेट	३,९२८.००	३,९३३.००	३,९३३.००	३,९३३.००	३,९३३.००
१८	DI Sluice Valve						
	८० मि.मि. व्यास	गोटा		१४,०००.००	१४,०००.००	१४,०००.००	१४,०००.००
	१०० मि.मि. व्यास	गोटा		२१,०००.००	२१,०००.००	२१,०००.००	२१,०००.००
	१२५ मि.मि. व्यास	गोटा		२४,०००.००	२४,०००.००	२४,०००.००	२४,०००.००
	१५० मि.मि. व्यास	गोटा		२६,०००.००	२६,०००.००	२६,०००.००	२६,०००.००
	२०० मि.मि. व्यास	गोटा		३४,०००.००	३४,०००.००	३४,०००.००	३४,०००.००
१९	DI Tee (Double Socket with Flange Branch)						
	८० मि.मि. व्यास	गोटा		१३,०००.००	१३,०००.००	१३,०००.००	१३,०००.००
	१०० मि.मि. व्यास	गोटा		१४,०००.००	१४,०००.००	१४,०००.००	१४,०००.००
	१२५ मि.मि. व्यास	गोटा		१५,०००.००	१५,०००.००	१५,०००.००	१५,०००.००
	१५० मि.मि. व्यास	गोटा		१६,०००.००	१६,०००.००	१६,०००.००	१६,०००.००
	२०० मि.मि. व्यास	गोटा		२४,०००.००	२४,०००.००	२४,०००.००	२४,०००.००
२०	DI Reducer						
	८० मि.मि. व्यास	गोटा		२,२९४.००	२,२९४.००	२,२९४.००	२,२९४.००
	१०० मि.मि. व्यास	गोटा		६,९१४.००	६,९१४.००	६,९१४.००	६,९१४.००
	१२५ मि.मि. व्यास	गोटा		८,७३०.००	८,७३०.००	८,७३०.००	८,७३०.००
	१५० मि.मि. व्यास	गोटा		९,८१९.००	९,८१९.००	९,८१९.००	९,८१९.००
	२०० मि.मि. व्यास	गोटा		११,८००.००	११,८००.००	११,८००.००	११,८००.००
२१	DI Mechanical Coupling						
	१५० मि.मि. व्यास	गोटा		१४,०००.००	१४,०००.००	१४,०००.००	१४,०००.००
	२०० मि.मि. व्यास	गोटा		१८,०००.००	१८,०००.००	१८,०००.००	१८,०००.००
	२५० मि.मि. व्यास	गोटा		२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००
	DI Bell mouth						
	१५० मि.मि. व्यास	गोटा		७,४००.००	७,४००.००	७,४००.००	७,४००.००
२२	DI Deck Foot Bend						
	१५० मि.मि. व्यास	गोटा		१९,४००.००	१९,४००.००	१९,४००.००	१९,४००.००
	२०० मि.मि. व्यास	गोटा		२२,४००.००	२२,४००.००	२२,४००.००	२२,४००.००
	२५० मि.मि. व्यास	गोटा		२२,४००.००	२२,४००.००	२२,४००.००	२२,४००.००
	IX Puddlecooler 1meter Long						
	१५० मि.मि. व्यास	गोटा		१८,०००.००	१८,०००.००	१८,०००.००	१८,०००.००
२३	१०० मि.मि. व्यास	गोटा		२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००
	१०० मि.मि. व्यास	गोटा		२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००

[Handwritten signatures and stamps]

[Official stamp of the Government of India]

क्र.सं.	सामग्रीको नाम	प्रति इकाई	थ्याट बाहेकको स्वीकृत दराट (रुपैयामा)				
			म.र.००१/०८०	म.र.००२/०८१	म.र.००३/०८२	म.र.००४/०८३	म.र.००५/०८४
२४	२५० मि.मि. व्यास	गोटा		२२,०००.००	२२,०००.००	२२,०००.००	२२,०००.००
	DI Tail Piece						
	१५० मि.मि. व्यास	गोटा		४,३००.००	४,३००.००	४,३००.००	४,३००.००
	२०० मि.मि. व्यास	गोटा		६,०००.००	६,०००.००	६,०००.००	६,०००.००
२५	२५० मि.मि. व्यास	गोटा		८,३००.००	८,३००.००	८,३००.००	८,३००.००
	DI Bend (Double Flanged)	गोटा					
	१०० मि.मि. व्यास	गोटा		११,२००.००	११,२००.००	११,२००.००	११,२००.००
	१२५ मि.मि. व्यास	गोटा		१२,२००.००	१२,२००.००	१२,२००.००	१२,२००.००
२६	१५० मि.मि. व्यास	गोटा		१३,२००.००	१३,२००.००	१३,२००.००	१३,२००.००
	२०० मि.मि. व्यास	गोटा		१६,०००.००	१६,०००.००	१६,०००.००	१६,०००.००
	२५० मि.मि. व्यास	गोटा		१८,०२०.००	१८,०२०.००	१८,०२०.००	१८,०२०.००
	DI Unequal Tee						
२७	125x125x100 मि.मि. व्यास	गोटा		१७,२००.००	१७,२००.००	१७,२००.००	१७,२००.००
	125x125x80 मि.मि. व्यास	गोटा		१७,२००.००	१७,२००.००	१७,२००.००	१७,२००.००
	150x150x125 मि.मि. व्यास	गोटा		२१,२००.००	२१,२००.००	२१,२००.००	२१,२००.००
	150x150x100 मि.मि. व्यास	गोटा		२३,२००.००	२३,२००.००	२३,२००.००	२३,२००.००
	150x150x80 मि.मि. व्यास	गोटा		२३,२००.००	२३,२००.००	२३,२००.००	२३,२००.००
	200x200x150 मि.मि. व्यास	गोटा		३७,२००.००	३७,२००.००	३७,२००.००	३७,२००.००
	200x200x125 मि.मि. व्यास	गोटा		४०,०००.००	४०,०००.००	४०,०००.००	४०,०००.००
	200x200x100 मि.मि. व्यास	गोटा		४२,२००.००	४२,२००.००	४२,२००.००	४२,२००.००
	250x250x200 मि.मि. व्यास	गोटा		४७,२००.००	४७,२००.००	४७,२००.००	४७,२००.००
	250x250x150 मि.मि. व्यास	गोटा		६०,०००.००	६०,०००.००	६०,०००.००	६०,०००.००
	250x250x125 मि.मि. व्यास	गोटा		६३,०००.००	६३,०००.००	६३,०००.००	६३,०००.००
	250x250x100 मि.मि. व्यास	गोटा		७०,०००.००	७०,०००.००	७०,०००.००	७०,०००.००
२८	एम.एस.फलेन्ज एडिटर ग्यास्केट समेत						
	६३ मि.मि. व्यास	सेट		१,७२०.००	१,७२०.००	१,७२०.००	१,७२०.००
	७६ मि.मि. व्यास	सेट		२,१००.००	२,१००.००	२,१००.००	२,१००.००
	९० मि.मि. व्यास	सेट		२,२६०.००	२,२६०.००	२,२६०.००	२,२६०.००
	११० मि.मि. व्यास	सेट		३,९८०.००	३,९८०.००	३,९८०.००	३,९८०.००
	१२५ मि.मि. व्यास	सेट		४,३९०.००	४,३९०.००	४,३९०.००	४,३९०.००
	१४० मि.मि. व्यास	सेट		४,६८०.००	४,६८०.००	४,६८०.००	४,६८०.००
	१६० मि.मि. व्यास	सेट		४,८२०.००	४,८२०.००	४,८२०.००	४,८२०.००
	१८० मि.मि. व्यास	सेट		५,४३०.००	५,४३०.००	५,४३०.००	५,४३०.००
	२०० मि.मि. व्यास	सेट		५,९६०.००	५,९६०.००	५,९६०.००	५,९६०.००
	२२० मि.मि. व्यास	सेट		६,२८०.००	६,२८०.००	६,२८०.००	६,२८०.००
	२८० मि.मि. व्यास	सेट		८,९७९.००	८,९७९.००	८,९७९.००	८,९७९.००
२९	रबर ग्यास्केट						
	२२५ मि.मि. व्यास			४६३.००	४६३.००	४६३.००	४६३.००
	२०० मि.मि. व्यास			४२३.००	४२३.००	४२३.००	४२३.००
	१६० मि.मि. व्यास			३६२.००	३६२.००	३६२.००	३६२.००
	१२५ मि.मि. व्यास			२८२.००	२८२.००	२८२.००	२८२.००
	१०० मि.मि. व्यास			२१२.००	२१२.००	२१२.००	२१२.००
३०	६० मि.मि. व्यास			१४०.००	१४०.००	१४०.००	१४०.००
	मि.आई. फलेन्ज टेल पिस						
	८० मि.मि. व्यास			२,२०४.००	२,२०४.००	२,२०४.००	२,२०४.००
	१०० मि.मि. व्यास			३,२६०.००	३,२६०.००	३,२६०.००	३,२६०.००
३१	१५० मि.मि. व्यास	गोटा		४,९६३.००	४,९६३.००	४,९६३.००	४,९६३.००
	२०० मि.मि. व्यास	गोटा		८,९६३.००	८,९६३.००	८,९६३.००	८,९६३.००
३२	फलेन्ज ग्यास्केट						
	१५० मि.मि. व्यास	गोटा		७,३४२.००	७,३४२.००	७,३४२.००	७,३४२.००
	२०० मि.मि. व्यास	गोटा		७,७००.००	७,७००.००	७,७००.००	७,७००.००
३३	मि.आई. फलेन्ज बेलमाउप						
	१२५ मि.मि. व्यास	गोटा		८,९८३.००	८,९८३.००	८,९८३.००	८,९८३.००
	१५० मि.मि. व्यास	गोटा		३,२१७.००	३,२१७.००	३,२१७.००	३,२१७.००
३४	२०० मि.मि. व्यास	गोटा		४,२१९.००	४,२१९.००	४,२१९.००	४,२१९.००
	मेकानिकल कपमिड रबर रिङ समेत						

दिवा कुन्डार तामाङ
 प्रमुख जिल्ला अधिकारी



मिल दुर्गाद दानाख
प्रमुख जिला अधिकारी

क्र.सं.	व्यापारीको नाम	उनी इकाई	खात बाहेकको स्वीकृत बरौट (रुपैयाँमा)				
			आ.सं.००१/०००	आ.सं.००२/००१	आ.सं.००३/००१	आ.सं.००४/००१	आ.सं.००५/००१
	१४ मि.मि. व्यास	गोडा	२४.००	२४.००	२४.००	२४.००	२४.००
	१० मि.मि. व्यास	गोडा	४०.००	४०.००	४०.००	४०.००	४०.००
	१२ मि.मि. व्यास	गोडा	४९.००	४९.००	४९.००	४९.००	४९.००
	४२ मि.मि. व्यास	गोडा	९७.००	९७.००	९७.००	९७.००	९७.००
	४० मि.मि. व्यास	गोडा	१११.००	१११.००	१११.००	१११.००	१११.००
	६० मि.मि. व्यास	गोडा	१४३.००	१४३.००	१४३.००	१४३.००	१४३.००
	६४ मि.मि. व्यास	गोडा	२९७.००	२९७.००	२९७.००	२९७.००	२९७.००
	६० मि.मि. व्यास	गोडा	३६२.००	३६२.००	३६२.००	३६२.००	३६२.००
	१०० मि.मि. व्यास		३६२.००	३६२.००	३६२.००	३६२.००	३६२.००
४२	वि.आई.प्याग (गोडा)						
	१४ मि.मि. व्यास	गोडा	९३.००	९३.००	९३.००	९३.००	९३.००
	२० मि.मि. व्यास	गोडा	२४.००	२४.००	२४.००	२४.००	२४.००
	२२ मि.मि. व्यास	गोडा	३०.००	३०.००	३०.००	३०.००	३०.००
	३२ मि.मि. व्यास	गोडा	६३.००	६३.००	६३.००	६३.००	६३.००
	४० मि.मि. व्यास	गोडा	७८.००	७८.००	७८.००	७८.००	७८.००
	६० मि.मि. व्यास	गोडा	१२१.००	१२१.००	१२१.००	१२१.००	१२१.००
	६४ मि.मि. व्यास	गोडा	१७१.००	१७१.००	१७१.००	१७१.००	१७१.००
	६० मि.मि. व्यास	गोडा	२४९.००	२४९.००	२४९.००	२४९.००	२४९.००
	१०० मि.मि. व्यास		२४९.००	२४९.००	२४९.००	२४९.००	२४९.००
४३	वि.आई.रेन्जिभल-१६० मि.मि. व्यास						
	१४ मि.मि. व्यास	गोडा	४९.००	४९.००	४९.००	४९.००	४९.००
	२० मि.मि. व्यास	गोडा	७९.००	७९.००	७९.००	७९.००	७९.००
	२२ मि.मि. व्यास	गोडा	९०४.००	९०४.००	९०४.००	९०४.००	९०४.००
	३२ मि.मि. व्यास	गोडा	१८१.००	१८१.००	१८१.००	१८१.००	१८१.००
	४० मि.मि. व्यास	गोडा	११६.००	११६.००	११६.००	११६.००	११६.००
	६० मि.मि. व्यास	गोडा	३१२.००	३१२.००	३१२.००	३१२.००	३१२.००
	६४ मि.मि. व्यास	गोडा	४३०.००	४३०.००	४३०.००	४३०.००	४३०.००
	६० मि.मि. व्यास	गोडा	६८४.००	६८४.००	६८४.००	६८४.००	६८४.००
	१०० मि.मि. व्यास	गोडा	९०९.००	९०९.००	९०९.००	९०९.००	९०९.००
	१६० मि.मि. व्यास			१,०१४.००	१,०१४.००	१,०१४.००	१,०१४.००
४४	वि.आई.रेन्जिभल रिप्लेस						
	१४ मि.मि. व्यास	गोडा	३४.००	३४.००	३४.००	३४.००	३४.००
	२० मि.मि. व्यास	गोडा	४९.००	४९.००	४९.००	४९.००	४९.००
	२२ मि.मि. व्यास	गोडा	८२.००	८२.००	८२.००	८२.००	८२.००
	३२ मि.मि. व्यास	गोडा	१३०.००	१३०.००	१३०.००	१३०.००	१३०.००
	४० मि.मि. व्यास	गोडा	१६०.००	१६०.००	१६०.००	१६०.००	१६०.००
	६० मि.मि. व्यास	गोडा	२४९.००	२४९.००	२४९.००	२४९.००	२४९.००
४५	वि.आई.द्वय रिप्लेस						
	१४ मि.मि. व्यास	गोडा	४९.००	४९.००	४९.००	४९.००	४९.००
	२० मि.मि. व्यास	गोडा	९३०.००	९३०.००	९३०.००	९३०.००	९३०.००
	२२ मि.मि. व्यास	गोडा	११३.००	११३.००	११३.००	११३.००	११३.००
	३२ मि.मि. व्यास	गोडा	४४२.००	४४२.००	४४२.००	४४२.००	४४२.००
	४० मि.मि. व्यास	गोडा	३९७.००	३९७.००	३९७.००	३९७.००	३९७.००
४६	वि.आई.अनर्इन्वेन टि						
	१४X२० मि.मि. व्यास	गोडा	१२६.००	१२६.००	१२६.००	१२६.००	१२६.००
	१४X२४ मि.मि. व्यास	गोडा	१६८.००	१६८.००	१६८.००	१६८.००	१६८.००
	१४X२८ मि.मि. व्यास	गोडा	२४९.००	२४९.००	२४९.००	२४९.००	२४९.००
	१४X४० मि.मि. व्यास	गोडा	३१२.००	३१२.००	३१२.००	३१२.००	३१२.००
	१४X४४ मि.मि. व्यास	गोडा	४३६.००	४३६.००	४३६.००	४३६.००	४३६.००
	१४X४८ मि.मि. व्यास	गोडा	९३६.००	९३६.००	९३६.००	९३६.००	९३६.००
	१४X६० मि.मि. व्यास	गोडा	१,४३६.००	१,४३६.००	१,४३६.००	१,४३६.००	१,४३६.००
	१४X७० मि.मि. व्यास	गोडा	१,७३६.००	१,७३६.००	१,७३६.००	१,७३६.००	१,७३६.००
४७	वि.आई.अनर्इन्वेन टि (डी.ए.ए.)						
	२००X२००X२० मि.मि. व्यास	गोडा	२२,९१४.००	२२,९१४.००	२२,९१४.००	२२,९१४.००	२२,९१४.००
	२००X२००X२१ मि.मि. व्यास	गोडा	२२,९१४.००	२२,९१४.००	२२,९१४.००	२२,९१४.००	२२,९१४.००
	२००X२००X२०० मि.मि. व्यास	गोडा	२२,९१४.००	२२,९१४.००	२२,९१४.००	२२,९१४.००	२२,९१४.००

[Handwritten signatures and stamps]

दिग्विजय तामाङ
 प्रमुख जिल्ला अधिकारी